PB-216 896

# MUNICIPAL WATER FACILITIES INVENTORY AS OF JANUARY 1, 1958. WASHINGTON. A COOPERATIVE STATE-FEDERAL REPORT

Public Health Service
Washington, D. C.

1958

DISTRIBUTED BY:

NTIS

National Technical Information Service
U. S. DEPARTMENT OF COMMERCE
5285 Port Royal Road, Springfield Va. 22151

PB 216 896

WASHINGTON

# MUNICIPAL WATER FACILITIES

## Inventory as of January 1, 1958

A Cooperative

State - Federal Report



Reproduced by
NATIONAL TECHNICAL
INFORMATION SERVICE
U S Department of Commerce
Springfield VA 22151

U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE
Public Health Service

## NOTES REGARDING TABULATIONS

### GENERAL

This volume is one of nine which, taken together, comprise an inventory of public water supply facilities in the United States as of January 1, 1958. The listing includes all facilities serving places having a 1950 population of 100 or more which have been reported by the respective State Departments of Health. In a few States, places smaller than this size have been reported, and in one or two others the minimum size has been somewhat greater. The listing is alphabetic by name of place within the State. At the end of each State listing there appear the names of all places having a 1950 population of 100 or more but which were not reported as having a community water supply. Persons desiring more detailed information about water supply facilities in the larger communities are referred to PHS Publication No. 661, Municipal Water Facilities Communities of 25,000 Population and Over--Continental United States and Territorial Possessions--As of January 1, 1958. The data on these larger communities in this volume are extracted from that publication.

The purpose of this inventory is to furnish up-to-date information on all water facilities for the use of industries and other private agencies and all levels of government. The Public Health Service will assist in making this material more useful through the publication of special papers based on statistical analysis of the data.

In the following discussion, each individual item listed is defined as an "entry." An "x" in the listing indicates that the data requested were unknown. A dash, "-" signifies the item does not apply. A triangle "△" shows information was not supplied.

### Detailed Notes for Columns

#### Column 1 - Community or District

Entries marked with a star have facilities which serve one or more additional communities.

#### Column 2 - 1950 Population, Estimated Population Served

Top-line Entry - 1950 population (U. S. Bureau of the Census where available).
Bottom-line Entry - estimated total number of people served by the facility. Data in parentheses indicate population served by some other facility.

#### Column 3 - Year Operation Started

Top-line Entry - Present Supply . . . the year the present source of supply was put into service, or the latest year during which a new or additional source was developed.
Bottom-line Entry - Present Treatment Plant . . . the year the present treatment plant was put into operation, or the date of the latest major revision or addition.

#### Column 4 - Ownership

M - Public (Federal, State, county, municipal, district, etc.)
P - Private (private corporations, companies, etc.)

#### Column 5 - Number of Services, Number of Meters

Top-line Entry - Number of accounts served by the facility.
Bottom-line Entry - Number of meters used in the water system.

#### Column 6 - Laboratory Control

Refers to control by a plant laboratory, not to samples analyzed elsewhere.
C - Chemical (other than chlorine residual)
B - Bacteriological
N - None

#### Column 7 - Source of Supply

The source or sources from which water is obtained. Specific lakes or streams are named when possible.

Column 8 - Safe Yield, Impounded (Surface) Maximum Dependable Draft, (Ground)

Top-line Entry - Safe Yield, Surface, the maximum safe daily yield which can be secured from the source of water supply based on the driest period of record.

Bottom-line Entry - Maximum Dependable Draft, Ground Water, the maximum dependable 24-hour draft of a well field or fields, or other ground source, which can be sustained for a period of high demand through five days. (Number of wells now in use may have no bearing on this figure.)

The designation "Unl." signifies a relatively large or unlimited supply.

Column 9 - Rated Plant Capacity and Average Plant Output

Top-line Entry - Rated Capacity, the maximum rated daily capacity on the basis of filters, pumps, or other limiting factor.

Bottom-line Entry - Average, the average daily output of the facility.

Column 10 - Treatment

Where the treatment is at all extensive, one or more symbols identifying the general type or function of the plant precede those used to identify the particular treatment plant or method. In general, a plant is not classified as a "purification plant" unless filters having fine granular material (sand or anthracite) are used.

Principal treatment features, identified by capitalized letters, are further described by lower case letters following them. In general, the symbols are arranged in the order in which treatment occurs. Combination units performing more than one function in a single structure are denoted by enclosing the appropriate symbols in parentheses. Enclosures in brackets indicate parallel or alternate operation.

Treatment methods are coded as follows:

Type of Plant

P - Purification
H - Softening
I - Iron or Manganese removal

Treatment or Device

A - Aeration
- Ac ..contact beds or trays, coke or other material
- Am..patented aerator
- As ..spray aerator
- At...overflow trays cascade or other splash aerator
- Ao ..other type aerator

C - Chemical dosage for coagulation or softening
- Ca ..alum
- Ci...iron salts
- Cl...lime
- Cs ..soda ash
- Ct...activated silica
- Co ..other coagulant

D - Disinfection
- Dc ..chlorine gas
- Dd ..dechlorination
- Dh ..hypochlorites
- Ds ..free residual chlorine
- Dx ..chlorine dioxide
- Dz ..ozone
- Do ..Other means

F - Filters
- Fa ..anthrafilt
- Fc ..roughing or contact
- Fd ..diatomaceous earth
- Fg ..gravity (slow)
- Fp ..pressure
- Fr ..gravity (rapid)
- Fs ..sand
- Fz ..zeolite

K - Chemical dosage for corrosion correction or water stabilization
- Kc ..phosphate compounds
- Kg ..chlorine gas
- Kh ..hypochlorite
- Ko ..sodium silicate
- Kp ..alkali feed for pH adjustment

M - Mixing device or tank
- Ma ..air agitation
- Mb ..baffle mix
- Mh ..hydraulic (standing wave flume)
- Mi ..injection or pump suction
- Mp ..slow mechanical mix
- Ms ..patented sludge blanket
- Mt ..rapid mechanical mix
- (MtpsSv)..."Liquon Reactor": "Accelator"; or "Precipitator"

Treatment or Device (continued)

N - Ammoniation
- Nc ..ammonium compound
- Ng ..ammonia gas

R - Recarbonation

S - Sedimentation
- Sb...basins, baffled (other than inlet or outlet)
- Sc...covered basins (other than housed)
- Sm..mechanical sludge removal
- So...open basin (may be in plant building)
- Sv...upflow cylindrical tanks
- (MtpsSv).."Liquon Reactor"; "Accelator"; or "Precipitator"

T - Chemical taste and odor control
- Tc ..activated carbon
- Td ..chlorine dioxide
- Ts ..sulfur dioxide
- Tz ..ozone
- To ..other

V - Fluoride adjustment
- Va ..hydrofluosilicic acid
- Vs ..sodium silicofluoride
- Vt...sodium fluoride
- Ve ..ammonium silicofluoride
- Vo ..other fluorides
- -V ...fluoride reduction
- $V_{1.2}$ - 1.2 ppm natural fluoride

Column 11 - Distribution Storage

Top-line Entry - Pumped to Mains..storage of finished water in the distribution system area that must be pumped into mains (clearwells, underground or low level storage, etc.)

Bottom-line Entry - Elevated..storage of finished water in the distribution system area that will flow into mains by gravity (elevated tanks, standpipes, high level reservoirs, etc.).

Water storage in impounding reservoirs or balancing reservoirs on long supply conduits not included.

Column 12 - Improvements Needed

Improvements currently needed to provide adequate service. The following codes are used:

| | |
|---|---|
| N - None | G - Ground storage |
| U - Source, underground | L - Elevated storage |
| S - Source, surface | D - Distribution system |
| M - Transmission | O - Other |
| P - Pumping | |
| T - Treatment | |

WASHINGTON

# INVENTORY OF MUNICIPAL WATER FACILITIES

STATE: WASHINGTON | DATE: Jan. 1, 1958 | PAGE: 1 of 17

| COMMUNITY | 1950 Population / Estimated Population Served | Year Oper. Started / Present Supply / Present Treatment Plant | OWNERSHIP | Number of Services / Number of Meters | LAB. CONTROL | SOURCE OF SUPPLY | Safe Yield Impounded / Maximum Dependable Draft (Gr. water) MGD | Rated Plant Capacity / Average Plant Output MGD | TREATMENT | Dist. Storage / Pumps to Mains / Gravity to Mains MG | IMPROVEMENTS NEEDED | LINE NO. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | |
| * ABERDEEN | 19,663 | 1953 | M | 6,047 | N | Wishkah River | Unl. | Δ | DeNg | 25.00 | N | 1 |
| | 20,500 | Δ | - | 1,072 | - | - | - | 5.500 | - | 0.075 | - | |
| ACME | 200 | 1935 | P | 52 | N | Jones Creek | 1.200 | - | None | Δ | UNI | 2 |
| | 280 | - | - | 0 | - | and Cool Creek | - | Δ | - | 0.015 | - | |
| ADDY | 355 | 1941 | M | 70 | N | Addy Creek | Δ | - | None | Δ | N | 3 |
| | 140 | - | - | 0 | - | - | - | Δ | - | Δ | - | |
| AIRWAY HEIGHTS | 200 | Δ | P | 184 | N | 5 wells | - | - | None | Δ | L | 4 |
| | 612 | - | - | 135 | - | - | 0.180 | Δ | - | 0.000 | - | |
| ALGIEN | 256 | 1938 | M | 73 | Δ | Well | - | - | None | Δ | Δ | 5 |
| | 235 | - | - | 100 | - | - | Δ | Δ | - | 0.020 | - | |
| ALDER | 150 | 1938 | M | 22 | N | Springs | - | - | None | 0.000 | U | 6 |
| | 80 | - | - | 0 | - | - | Δ | Δ | - | 0.115 | - | |
| ALDERTON | 350 | Δ | Δ | - | - | Alderton-McMillan | - | - | None | - | - | 7 |
| | ( Δ ) | - | - | - | - | - | - | - | - | - | - | |
| * ALDERTON-McMILLAN | 450 | 1913 | P | 128 | N | Springs | - | - | None | Δ | UNL | 8 |
| | 450 | - | - | 5 | - | - | 1.500 | 0.500 | - | 0.012 | - | |
| * ALDERWOOD MANOR | 600 | Δ | M | 9,851 | N | 4 wells | Δ | 2.500 | De | 2.500 | UNIG | 9 |
| | 36,000 | Δ | - | 9,851 | - | Everett-Sultan Basin | 5.000 | 2.500 | - | 6.200 | - | |
| ALGONA | 1,500 | Δ | P | 390 | N | Pacific | - | - | Pacific | - | - | 10 |
| | (1,300) | - | - | 0 | - | - | - | - | - | - | - | |
| ALMIRA | 300 | 1951 | M | 110 | N | 2 wells | - | - | None | Δ | U | 11 |
| | 410 | - | - | 100 | - | - | 0.500 | 0.100 | - | 0.055 | - | |
| ALOHA | Δ | 1913 | M | 50 | N | Beaver Creek | Δ | - | None | Δ | Δ | 12 |
| | 125 | - | - | 0 | - | - | - | Δ | - | Δ | - | |
| ANACORTES | 6,919 | 1955 | M | 2,500 | C | Skagit River | 19.000 | 7.000 | PI-DeClSeFrsDeKp | 0.000 | NPD | 13 |
| | 8,250 | 1957 | - | 2,590 | - | and 2 wells | 24.000 | 4.000 | - | 2.000 | LG | |
| ANNAPOLIS | 600 | Δ | Δ | - | - | Annapolis-Retsil | - | - | None | - | - | 14 |
| | ( Δ ) | - | - | - | - | - | - | - | - | - | - | |
| * ANNAPOLIS-RETSIL | 1,583 | 1949 | M | 850 | N | 2 wells | - | - | None | 0.000 | N | 15 |
| | 4,500 | - | - | 850 | - | - | 0.700 | 0.200 | - | 0.500 | - | |
| ARDENVOIR | 250 | 1932 | P | 60 | N | Mad River | 10.000 | 1.200 | De | 0.000 | L | 16 |
| | 250 | 1935 | - | 0 | - | - | - | 0.250 | - | 0.000 | - | |
| ARLINGTON | 1,635 | Δ | M | 773 | N | Stillaguamish River | 1.000 | 1.000 | P-SoFraDe | 0.100 | DL | 17 |
| | 1,967 | Δ | - | 765 | - | and well | 5.000 | 0.315 | - | 0.186 | - | |
| ASHFORD | 300 | 1913 | P | 60 | N | Muller Creek | Δ | Δ | Dh | Δ | TU | 18 |
| | 300 | 1952 | - | 0 | - | - | - | 0.003 | - | 0.004 | - | |
| ASOTIN | 740 | Δ | P | - | - | Clarkston | - | - | Clarkston | - | - | 19 |
| | (850) | - | - | - | - | - | - | - | - | - | - | |
| AUBURN | 6,437 | 1925 | M | 2,550 | N | Springs | - | Δ | De | Δ | Δ | 20 |
| | 8,500 | Δ | - | 2,550 | - | - | 5.500 | 1.080 | - | 3.500 | - | |
| AVON | 125 | Δ | M | - | - | Skagit County | - | - | Skagit County | - | - | 21 |
| | (125) | - | - | - | - | P.U.D. # 1 | - | - | P.U.D. # 1 | - | - | |
| BATTLE GROUND | 859 | 1954 | M | 250 | N | 2 wells | - | - | None | Δ | Δ | 22 |
| | 872 | - | - | 250 | - | - | Δ | Δ | - | 0.250 | - | |
| * BELLEVUE | 1,756 | 1947 | M | 3,200 | C | L. Washington & wells | 8.000 | 8.000 | P-CasDeFra | Δ | L | 23 |
| | 10,500 | 1954 | - | 3,200 | - | - | Δ | 1.000 | - | 0.500 | - | |
| * BELLINGHAM | 24,112 | 1904 | M | 12,160 | C | Lake Whatcom and | 55.000 | 100.0 | NgDeKp | Δ | SED | 24 |
| | 39,000 | 1961 | - | 1.733 | R | Lake Padden | - | 49.50 | - | 2.000 | - | |
| BENTON CITY | 863 | 1954 | Δ | 223 | N | 3 wells | - | - | None | Δ | M | 25 |
| | 1,140 | - | - | 194 | - | - | Δ | Δ | - | Δ | - | |
| BEVERLY PARK | 1,800 | Δ | Δ | - | - | Beverly Pk-Laurel Hts | - | - | None | - | - | 26 |
| | ( Δ ) | - | - | - | - | -Lowell-Pinehurst | - | - | - | - | - | |
| * BEVERLY PK.-LAUREL HTS.-LOWELL-PINEHURST | 8,353 | 1957 | M | 1,900 | N | 5 wells | - | - | None | Δ | LG | 27 |
| | 6,600 | - | - | 1,900 | - | - | 2.200 | 1.250 | - | 5.000 | - | |
| BINGEN | 776 | 1949 | M | 284 | Δ | 2 wells | - | - | None | Δ | Δ | 28 |
| | 678 | - | P | 276 | - | - | Δ | Δ | - | 0.053 | - | |
| BIRCH BAY | 200 | Δ | Δ | - | - | Blaine | - | - | None | - | - | 29 |
| | ( Δ ) | - | - | - | - | - | - | - | - | - | - | |
| BLACK DIAMOND | 777 | 1945 | M | 320 | N | King County Black | - | - | King County Black | - | - | 30 |
| | (1,300) | - | - | 0 | - | Diamond W.D. #66 | - | - | Diamond W.D. #65 | - | - | |

PHS-2226
REV. 4-59

# INVENTORY OF MUNICIPAL WATER FACILITIES

STATE: WASHINGTON | DATE: Jan. 1, 1958 | PAGE: 2 of 17

| COMMUNITY | 1950 Population: Estimated Population Served | Year Oper. Started: Present Supply | Present Treatment Plant | OWNERSHIP | Number of Services: Number of Meters | LAB CONTROL | SOURCE OF SUPPLY | Safe Yield Impounded: Maximum Dependable Draft (Gr. water) MGD | Rated Plant Capacity: Average Plant Output MGD | TREATMENT | Day Storage: Pumps to Mains | Gravity to Mains MG | IMPROVEMENTS NEEDED | LINE NO. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | | 12 | |
| * BLAINE | 1,603 | 1933 | M | | 750 | A | 8 wells and springs | - | - | None | A | | MT | 1 |
| | 3,725 | - | - | | 750 | - | - | 2.000 | A | - | 5.000 | | - | |
| BLANCHARD-EDISON | 300 | 1800 | M | | A | N | White Hall Creek | 0.300 | A | None | A | | N | 2 |
| | 300 | 1957 | - | | A | - | - | - | A | - | 0.200 | | - | |
| BONNEY LAKE | 275 | 1951 | M | | A | N | 2 wells and springs | - | - | None | A | | UMP | 3 |
| | 1,200 | - | - | | A | - | - | 0.228 | A | - | 0.240 | | DL | |
| BOSTON HARBOR | A | 1907 | P | | 112 | A | Spring | - | - | None | 0.008 | | A | 4 |
| | 315 | - | - | | 0 | - | - | A | A | - | 0.030 | | - | |
| BOTHELL | 1,012 | 1929 | P | | 606 | N | 2 wells | - | 0.800 | Dc | A | | SWIL | 5 |
| | 1,390 | 1951 | - | | 556 | - | - | 0.180 | 0.150 | - | 0.150 | | - | |
| BREMERTON | 27,678 | 1902 | M | | 10,830 | C | Creeks, river and | 15.000 | 15.000 | NgDc | 0.000 | | N | 6 |
| | 43,500 | 1957 | - | | 8,941 | - | 7 wells | 4.000 | 6.200 | - | 24.20 | | - | |
| BRIDGER | 851 | 1957 | M | | 392 | N | Infiltration gallery | - | - | None | A | | A | 7 |
| | 1,200 | - | - | | 376 | - | and well | A | A | - | 0.300 | | - | |
| BRIDGEPORT | 800 | 1950 | M | | 400 | N | 2 wells | - | 1.500 | Dc | A | | A | 8 |
| | 1,176 | 1958 | - | | 340 | - | - | 1.500 | 0.500 | - | A | | - | |
| BUCKLEY | 2,735 | 1947 | M | | 650 | N | South Prairie Creek | 1.000 | 0.240 | Dc | A | | A | 9 |
| | 1,600 | A | - | | 65 | - | - | - | 0.200 | - | 0.450 | | - | |
| BUCODA | 475 | 1942 | M | | 180 | N | Well | - | A | Dc | A | | N | 10 |
| | 600 | A | - | | 0 | - | - | A | 0.060 | - | 0.100 | | - | |
| BURLINGTON | 2,350 | A | A | | - | - | Skagit County | - | - | None | - | | - | 11 |
| | (2,816) | - | - | | - | - | P.U.D. # 1 | - | - | - | - | | - | |
| BURTON | 300 | 1930 | P | | 220 | N | 2 shallow wells | - | - | None | A | | A | 12 |
| | 600 | - | - | | 140 | - | and springs | 0.140 | A | - | 0.020 | | - | |
| CAMANO | A | 1933 | M | | 110 | N | Spring | - | - | None | A | | T | 13 |
| | 350 | - | - | | 110 | - | - | 1.000 | A | - | 0.150 | | - | |
| CAMAS | 4,725 | A | M | | 2,056 | N | Boulder and Jones | A | 3.000 | Dc | 0.000 | | U | 14 |
| | 5,500 | 1936 | - | | 266 | - | Creeks and 3 wells | A | 1.900 | - | 1.250 | | - | |
| CARBONADO | 415 | 1916 | M | | 125 | N | Spring | - | - | None | A | | UT | 15 |
| | 418 | - | - | | 0 | - | - | 0.150 | A | - | A | | - | |
| CARNATION | 502 | 1910 | P | | 295 | N | Stream | A | A | P-Fgs | A | | SF | 16 |
| | 477 | 1952 | - | | 42 | - | - | - | A | - | A | | - | |
| CARROLLS | 50 | 1939 | M | | 16 | N | Stream | 0.200 | A | None | A | | UNDL | 17 |
| | 170 | 1949 | - | | 0 | - | - | - | 0.010 | - | 0.150 | | - | |
| CARSON | 800 | 1953 | M | | 125 | N | Bear Creek | 2.000 | - | None | 0.000 | | TDL | 18 |
| | 440 | - | - | | 0 | - | - | - | 0.050 | - | 0.050 | | - | |
| CASHMERE | 1,763 | 1954 | M | | 716 | N | 6 wells | - | 1.900 | Dc | A | | L | 19 |
| | 2,000 | 1950 | - | | 716 | - | - | 1.900 | 0.800 | - | 0.500 | | - | |
| CASTLE ROCK | 1,255 | A | P | | 627 | A | Water shed & 6 wells | 0.300 | 1.000 | Dc | 0.130 | | A | 20 |
| | 1,600 | A | - | | 35 | - | - | 1.000 | 0.500 | - | 0.300 | | - | |
| CATHLAMET | 501 | A | M | | 460 | N | Camp, Panther | 0.200 | A | Dh | A | | A | 21 |
| | 1,500 | A | - | | 221 | - | and Abe Creeks | - | 0.300 | - | 0.200 | | - | |
| CEDAR FALLS | 1,200 | 1928 | M | | - | - | Seattle | - | - | Seattle | - | | - | 22 |
| | (200) | - | - | | - | - | - | - | - | - | - | | - | |
| CENTRALIA | 8,657 | 1935 | M | | 3,930 | N | Newaukum River | 3.000 | A | NgDcVs | A | | UMP | 23 |
| | 10,500 | A | - | | 3,920 | - | (N. Fork) & 3 wells | 2.000 | A | - | 8.500 | | DL | |
| CHEHALIS | 5,639 | A | M | | 2,225 | A | Newaukum River | 3.400 | 3.400 | NgDc | 0.000 | | SWFs | 24 |
| | 6,800 | 1922 | - | | 2,268 | - | (North Fork) | - | 2.800 | - | 6.000 | | - | |
| CHELAN | 2,157 | 1947 | M | | 875 | N | Lake Chelan | Unl. | 0.700 | Dc | 0.000 | | N | 25 |
| | 2,340 | 1947 | - | | 875 | - | - | - | 0.500 | - | 2.400 | | - | |
| CHELAN FALLS | 210 | 1941 | M | | 70 | N | Lake Chelan | Unl. | 1.000 | Dc | A | | L | 26 |
| | 210 | 1955 | - | | 65 | - | - | - | 0.250 | - | 0.015 | | - | |
| CHENEY | 2,797 | 1929 | M | | 650 | N | 2 wells | - | - | None | 0.000 | | UMP | 27 |
| | 3,000 | - | - | | 650 | - | - | 7.000 | A | - | 1.250 | | DL | |
| CHEWELAH | 1,693 | 1947 | M | | 653 | N | Chewelah Creek | 1.000 | 1.250 | Dc | 0.000 | | USH | 28 |
| | 1,675 | 1943 | - | | 448 | - | (E. Branch) & well | 0.200 | 0.600 | - | 0.300 | | - | |
| CHINOOK | 380 | 1912 | P | | 115 | N | Fresh Water Creek | A | A | Dh | 0.000 | | A | 29 |
| | 400 | 1948 | - | | 2 | - | - | - | 0.040 | - | 0.200 | | - | |
| CLALLAM BAY | 450 | 1956 | M | | 75 | N | Stream and well | A | - | None | A | | UMFs | 30 |
| | 250 | - | - | | 0 | - | - | 0.042 | 0.012 | - | A | | DL | |

FHA-2226
REV 4-59

# INVENTORY OF MUNICIPAL WATER FACILITIES

STATE: WASHINGTON | DATE: Jan. 1, 1958 | PAGE: 3 of 17

| COMMUNITY | 1950 Population / Estimated Population Served | Year Oper. Started / Present Supply / Present Treatment Plant | OWNERSHIP | Number of Services / Number of Meters | LAB CONTROL | SOURCE OF SUPPLY | Safe Yield Impounded / Maximum Dependable Draft (Gr. water) MGD | Rated Plant Capacity / Average Plant Output MGD | TREATMENT | Dist. Storage / Pumps to Mains / Gravity to Mains MG | IMPROVEMENTS NEEDED | LINE NO. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | |
| CLALLAM COUNTY | - | 1946 | M | - | - | Port Angeles | - | - | Port Angeles | - | - | 1 |
| P.U.D. # 1 | (850) | - | - | - | - | - | - | - | plus Dc | - | - | |
| * CLARKSTON | 5,417 | 1957 | P | 4,000 | C | Asotin Creek, Snake | Unl. | Δ | P-CaHtSbFraVgKpDcVs | Δ | Δ | 2 |
| | 11,000 | Δ | - | 4,000 | B | River and 2 wells | Δ | Δ | - | 19.75 | - | |
| CLAYTON | 150 | Δ | P | 45 | Δ | Well | - | Δ | Dh | Δ | TL | 3 |
| | 160 | 1960 | - | 45 | - | - | Δ | 0.289 | - | 0.025 | - | |
| CLEAR LAKE | 500 | 1949 | M | 241 | N | Nookachamps River | Δ | Δ | Dc | Δ | Δ | 4 |
| | 700 | 1949 | - | 216 | - | and Cold Springs | Δ | Δ | - | 0.500 | - | |
| * CLE ELUM | 2,236 | 1933 | M | 1,000 | N | Lake Cle Elum, river, | Unl. | 0.500 | Dc | Δ | M | 5 |
| | 2,500 | 1954 | - | 60 | - | springs and well | 1.750 | 0.250 | - | 1.750 | - | |
| CLINTON | Δ | 1951 | M | 137 | N | Spring | - | - | None | Δ | UL | 6 |
| | 400 | - | - | 137 | - | - | 0.075 | Δ | - | 0.132 | - | |
| CLYDE HILL | 1,116 | Δ | Δ | - | - | Bellevue | - | - | Bellevue | - | - | 7 |
| | (1,654) | - | - | - | - | - | - | - | - | - | - | |
| COLFAX | 3,357 | 1915 | M | 1,056 | N | 3 wells | - | - | None | Δ | N | 8 |
| | 3,000 | - | - | 1,056 | - | - | 3.168 | Δ | - | 0.710 | - | |
| COLLEGE PLACE | 3,174 | 1949 | M | 700 | N | 2 artesian wells | - | - | None | Δ | N | 9 |
| | 3,636 | - | - | 700 | - | - | 4.608 | Δ | - | 0.500 | - | |
| COLTON | 237 | 1919 | M | 86 | N | Well | - | - | None | Δ | Δ | 10 |
| | 250 | - | - | 86 | - | - | Δ | 0.020 | - | 0.185 | - | |
| COLVILLE | 3,033 | 1957 | M | 1,400 | N | 5 wells | - | - | None | Δ | N | 11 |
| | 3,800 | - | - | 1,400 | - | - | 2.800 | Δ | - | 1.335 | - | |
| CONCRETE | 760 | 1925 | P | 389 | Δ | Springs | - | - | None | 0.000 | Δ | 12 |
| | 860 | - | - | 13 | - | - | Δ | 0.080 | - | 0.100 | - | |
| CONNELL | 465 | 1954 | M | 300 | N | 3 wells | - | - | None | 0.220 | UU | 13 |
| | 900 | - | - | 300 | - | - | 0.700 | 0.720 | - | 0.100 | - | |
| CONWAY | 200 | 1922 | P | 185 | N | Springs | - | - | None | Δ | N | 14 |
| | 600 | - | - | 185 | - | - | Δ | Δ | - | 0.120 | - | |
| COPALIS BEACH | 300 | 1949 | P | 27 | N | Well | - | - | None | 0.000 | Δ | 15 |
| | 100 | - | - | 0 | - | - | 0.070 | 0.010 | - | 0.000 | - | |
| COSMOPOLIS | 1,164 | 1954 | P | - | - | Aberdeen | - | - | Aberdeen | - | - | 16 |
| | (1,251) | - | - | - | - | - | - | - | - | - | - | |
| COULEE CITY | 977 | 1907 | M | 250 | N | Springs | - | - | None | Δ | SP | 17 |
| | 700 | - | - | 246 | - | well (aux.) | 0.012 | Δ | - | 0.050 | - | |
| COULEE DAM | 1,000 | Δ | M | 320 | N | Columbia River | 15.000 | 15.00 | Dc | 0.000 | Δ | 18 |
| Okanogan County | 1,000 | 1935 | - | 0 | - | - | - | 10.00 | - | 0.000 | - | |
| COULEE DAM | 1,332 | 1951 | M | 440 | N | Lake Roosevelt | Unl. | 1.920 | DcVs (lake) | Δ | Δ | 19 |
| Grant County | 1,332 | 1951 | - | 0 | - | and springs | - | 0.740 | DhVtFps (springs) | 2.167 | - | |
| COULEE DAM | 564 | 1934 | M | 106 | N | Spring | - | 0.070 | HI-FpsVat V 0.50 | Δ | LG | 20 |
| Douglas County | 250 | 1956 | - | 0 | - | - | 0.100 | 0.040 | - | 0.050 | - | |
| COUPEVILLE | 379 | 1957 | M | 325 | N | 2 wells | - | - | None | 0.500 | N | 21 |
| | 800 | - | - | 325 | - | - | 0.240 | 0.070 | - | 0.060 | - | |
| COVE | 110 | 1920 | P | 30 | N | Springs | - | - | None | Δ | G | 22 |
| | Δ | - | - | 0 | - | - | Δ | 0.003 | - | 0.006 | - | |
| CRESTON | 269 | 1927 | M | 90 | N | 2 wells | - | - | None | 0.000 | N | 23 |
| | 75 | - | - | 90 | - | - | Δ | Δ | - | 0.065 | - | |
| CUSICK | 360 | 1935 | P | 116 | N | Clark Fork and | 1.900 | 0.360 | Dc | 0.000 | D | 24 |
| | 306 | 1946 | - | 0 | - | Pend Oreille Rivers | - | 0.010 | - | 0.015 | - | |
| CUSTER | 200 | 1956 | M | 90 | N | 2 wells | - | - | None | Δ | N | 25 |
| | 250 | - | - | 90 | - | - | 0.300 | Δ | - | 0.050 | - | |
| DARRINGTON | 921 | Δ | P | 335 | N | Brown's Creek | 5.000 | Δ | Dh | Δ | SUU | 26 |
| | 1,175 | 1922 | - | 50 | - | - | - | Δ | - | 5.000 | - | |
| DASH POINT | - | 1941 | P | 230 | N | Artesian wells | - | - | None | Δ | UND | 27 |
| COOPERATIVE | 800 | - | - | 15 | - | - | Δ | 0.080 | - | 0.125 | - | |
| DAVENPORT | 1,417 | 1950 | M | 552 | N | 2 wells | - | - | None | Δ | UP | 28 |
| | 1,400 | - | - | 550 | - | - | 0.700 | Δ | - | 0.200 | - | |
| DAYTON | 2,979 | 1938 | M | 1,198 | C | Touchet River | 2.400 | 1.200 | P-CaHpbSobFraXpDc | 0.700 | D | 29 |
| | 3,155 | 1925 | - | 1,198 | - | - | - | 0.868 | - | 1.950 | - | |
| DEER PARK | 1,167 | Δ | M | 515 | N | 3 wells | - | - | None | Δ | N | 30 |
| | 1,275 | - | - | 515 | - | - | 0.200 | Δ | - | 0.114 | - | |

PHS-2326
REV 4-59

# INVENTORY OF MUNICIPAL WATER FACILITIES

STATE: WASHINGTON | DATE: Jan. 1, 1958 | PAGE: 4 of 17

| COMMUNITY | 1950 Population: Estimated Population Served | Year Oper. Started: Present Supply | Year Oper. Started: Present Treatment Plant | OWNERSHIP | Number of Services: Number of Meters | LAB CONTROL | SOURCE OF SUPPLY | Safe Yield Impounded: Maximum Dependable Draft (Ge water) MGD | Rated Plant Capacity: Average Plant Output MGD | TREATMENT | Dist Storage: Pumps to Mains | Dist Storage: Gravity to Mains MG | IMPROVEMENTS NEEDED | LINE NO |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | | 12 | | |
| DEMING | 250 | 1953 | P | 50 | N | Spring | - | - | None | Δ | | SUL | | 1 |
| | 150 | - | - | 0 | - | - | 0.100 | Δ | - | 0.020 | | - | | |
| DES MOINES | 915 | 1957 | M | 407 | N | King County | - | - | None | - | | - | | 2 |
| | (1,750) | - | - | 407 | - | Des Moines W.D. #54 | - | - | - | - | | - | | |
| DIABLO | Δ | 1959 | M | 59 | N | Well | - | - | None | Δ | | N | | 3 |
| | 200 | - | - | 0 | - | - | 0.400 | Δ | - | 0.050 | | - | | |
| DOCKTON | 200 | 1938 | M | 73 | N | Springs | - | - | None | Δ | | N | | 4 |
| | 200 | - | - | 70 | - | - | 0.139 | 0.019 | - | 0.014 | | - | | |
| DRYDEN | 175 | 1939 | P | 46 | N | Wells and springs | - | 0.020 | Dh | Δ | | UDL | | 5 |
| | 150 | 1955 | - | 0 | - | - | 0.500 | 0.030 | - | 0.020 | | - | | |
| DU PONT | 350 | 1925 | M | 116 | Δ | 2 wells | - | - | None | 0.100 | | Δ | | 6 |
| | 348 | - | - | 0 | - | - | Δ | 0.039 | - | Δ | | - | | |
| DUPONT | 276 | 1944 | M | 113 | N | 2 wells | - | - | None | Δ | | U | | 7 |
| | 260 | - | - | 100 | - | - | 2.200 | 0.030 | - | 0.100 | | - | | |
| EARLINGTON | 500 | Δ | Δ | - | - | Seattle | - | - | Seattle | - | | - | | 8 |
| | (620) | - | - | - | - | - | - | - | - | - | | - | | |
| EAST HILL COMMUNITY | Δ | 1957 | P | 170 | N | 2 wells | - | Δ | None | 0.007 | | Δ | | 9 |
| | 560 | 1957 | - | 170 | - | - | 0.520 | Δ | - | 0.030 | | - | | |
| EAST HILL WATER COMPANY | - | Δ | M | 100 | Δ | Well | - | - | None | Δ | | Δ | | 10 |
| | 350 | - | - | 100 | - | - | Δ | Δ | - | 0.015 | | - | | |
| EASTON | 200 | 1945 | P | 87 | N | Creek | Δ | - | None | Δ | | USW | | 11 |
| | 348 | - | - | 0 | - | - | - | 0.050 | - | 0.059 | | ID | | |
| EAST REDMOND | 516 | Δ | Δ | - | - | Redmond | - | - | None | - | | - | | 12 |
| | (516) | - | - | - | - | - | - | - | - | - | | - | | |
| EASTSIDE | 500 | Δ | M | 94 | N | Well | - | - | None | Δ | | N | | 13 |
| King County | 200 | - | - | 94 | - | - | 0.110 | Δ | - | 0.080 | | - | | |
| EAST STANWOOD | 337 | Δ | Δ | - | - | Stanwood | - | - | None | - | | - | | 14 |
| | ( Δ ) | - | - | - | - | - | - | - | - | - | | - | | |
| EAST WENATCHEE | 350 | 1955 | M | 2,000 | N | 4 wells | - | - | None | 0.000 | | N | | 15 |
| | 6,000 | - | - | 2,000 | - | - | Unl. | Δ | Dh- (at times) | 0.116 | | - | | |
| EATONVILLE | 1,789 | Δ | M | Δ | Δ | Nisqual River | Δ | Δ | P-Cal(W.ps3v)Fra,c | Δ | | Δ | | 16 |
| | 863 | 1947 | - | Δ | - | - | - | 0.600 | - | 0.200 | | - | | |
| EDGEWOOD VIEW | Δ | 1954 | P | 781 | N | Well and spring | - | Δ | None | Δ | | N | | 17 |
| | 4,000 | 1952 | - | 738 | - | - | 0.430 | 0.215 | - | 0.300 | | - | | |
| EDMONDS | 2,057 | 1951 | M | 1,650 | N | Shell Creek | 0.990 | 0.300 | Dh | 0.300 | | USW | | 18 |
| Source # 1 | Δ | 1951 | - | 1,650 | - | and 5 wells | 0.450 | 0.375 | - | 0.650 | | LG | | |
| EDMONDS | - | Δ | Δ | - | - | Olympic View | - | - | Olympic View | - | | - | | 19 |
| Source # 2 | Δ | - | - | - | - | Water District | - | - | Water District | - | | - | | |
| EDMONDS | - | Δ | Δ | - | - | Alderwood Manor | - | - | Alderwood Manor | - | | - | | 20 |
| Source # 3 | ( Δ ) | - | - | - | - | - | - | - | - | - | | - | | |
| ELBE | Δ | 1947 | P | 43 | N | Well and stream | Δ | - | None | Δ | | STDL | | 21 |
| | 150 | - | - | 0 | - | - | 0.072 | 0.015 | - | 0.009 | | - | | |
| ELDORADO | - | 1958 | P | 40 | N | Stream | - | 0.100 | Dh | Δ | | UL | | 22 |
| WATER DISTRICT | 150 | 1952 | - | 0 | - | - | 0.270 | 0.010 | - | 0.020 | | - | | |
| ELECTRIC CITY | 1,198 | 1948 | P | 170 | N | Well | - | - | None | Δ | | Δ | | 23 |
| | 500 | - | - | 170 | - | - | Δ | Δ | - | 0.050 | | - | | |
| ELLENSBURG | 6,433 | 1933 | M | 2,729 | N | Wanum River | Δ | - | None | Δ | | UL | | 24 |
| | 9,000 | - | - | 2,730 | - | and 3 wells | 7.000 | Δ | - | 2.200 | | - | | |
| ELLISPORT | 150 | 1928 | P | 70 | N | Springs | - | 0.048 | Dh | Δ | | N | | 25 |
| | 150 | Δ | - | 70 | - | - | Unl. | 0.010 | - | 0.016 | | - | | |
| ELMA | 1,743 | 1930 | M | 800 | N | 2 wells | - | 0.400 | Dc | Δ | | N | | 26 |
| | 2,389 | Δ | - | 726 | - | - | 1.500 | 0.400 | - | 0.500 | | - | | |
| ELMER CITY | 513 | 1954 | P | 82 | N | Well | - | - | None | Δ | | N | | 27 |
| | 230 | - | - | 82 | - | - | Unl. | 0.050 | - | 0.021 | | - | | |
| ENDICOTT | 397 | 1935 | M | 193 | N | 2 wells | - | - | None | 0.188 | | L | | 28 |
| | 405 | - | - | 193 | - | - | 0.500 | Δ | - | Δ | | - | | |
| ENTIAT | 429 | 1952 | M | 183 | N | Well | - | - | None | Δ | | N | | 29 |
| | 468 | - | - | 183 | - | - | 2.880 | Δ | - | 0.165 | | - | | |
| ENUMCLAW | 2,789 | 1953 | M | 1,830 | N | Water Cress and | - | - | None | Δ | | D | | 30 |
| | 5,500 | - | - | 1,830 | - | City Springs | 2.000 | Δ | - | 1.200 | | - | | |

PHS-2226
REV 4-59

# INVENTORY OF MUNICIPAL WATER FACILITIES

STATE: WASHINGTON | DATE: Jan. 1, 1958 | PAGE: 5 of 17

| COMMUNITY | 1950 Population: Estimated Population Served | Year Oper Started: Present Supply | Year Oper Started: Present Treatment Plant | OWNERSHIP | Number of Services: Number of Meters | LAB CONTROL | SOURCE OF SUPPLY | Safe Yield Impounded: Maximum Dependable Draft (Gr. water) MGD | Rated Plant Capacity: Average Plant Output MGD | TREATMENT | Dist Storage: Pumps to Mains Gravity to Mains MG | IMPROVEMENTS NEEDED | LINE NO |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | |
| EPHRATA | 4,582 | 1956 | M | 2,080 | N | Columbia River and 6 | 2.900 | - | None | 2.200 | U | 1 |
| | 7,423 | - | - | 2,069 | - | wells East Canal(aux) | 5.000 | 1.300 | Dh(summer) | 3.300 | - | |
| ERLANDS POINT | 660 | 1955 | P | 220 | N | Well | - | - | None | Δ | Δ | 2 |
| | 700 | - | - | 220 | - | stream (standby) | 1.440 | Δ | Dh (standby) | 0.075 | - | |
| EVERETT | 33,940 | 1916 | M | 12,279 | S | Sultan River | 350.00 | Δ | SoDc | Δ | Sm | 3 |
| | 94,500 | 1930 | - | 28,117 | - | - | - | 95.00 | - | 59.75 | - | |
| EVERSON | 345 | 1936 | M | 312 | N | 2 wells | - | - | None | Δ | U | 4 |
| | 480 | - | - | 0 | - | - | 0.504 | Δ | - | 0.050 | - | |
| FAIRFIELD | 369 | Δ | M | 169 | C | 4 wells | - | - | None | Δ | UL | 5 |
| | 387 | - | - | 150 | - | - | 0.200 | Δ | - | 0.050 | - | |
| FALL CITY | 800 | 1924 | P | 220 | N | Creek | 0.750 | - | None | 0.000 | N | 6 |
| | 600 | - | - | 0 | - | - | - | 0.040 | - | 0.080 | - | |
| FARMINGTON | 230 | 1913 | Δ | 54 | N | Well | - | - | None | Δ | Δ | 7 |
| | 187 | - | - | 71 | - | - | Δ | Δ | - | 0.066 | - | |
| FEDERAL WAY | 500 | 1956 | M | 904 | N | Wells | - | - | None | Δ | U | 8 |
| | 3,600 | - | - | 882 | - | - | 0.100 | Δ | - | 0.850 | - | |
| FERNDALE | 979 | 1955 | M | 650 | N | 5 wells | - | - | None | Δ | D | 9 |
| | 1,600 | - | - | 600 | - | - | 3.240 | Δ | - | 0.565 | - | |
| FIRCREST | 1,450 | 1925 | M | 925 | N | 2 deep wells | - | Δ | Vt | 0.210 | Δ | 10 |
| | 3,500 | Δ | - | 0 | - | - | 1.872 | Δ | - | 0.200 | - | |
| FLORENCE | 300 | 1934 | P | 0 | N | 5 springs | - | - | None | Δ | N | 11 |
| | 100 | - | - | - | - | - | 0.500 | Δ | - | 0.250 | - | |
| FORKS | 1,120 | Δ | M | 5[illegible] | [illegible] | 2 wells | - | 1.440 | DeVt | Δ | ND | 12 |
| | 1,650 | Δ | - | 505 | - | - | 2.160 | 0.150 | - | 0.150 | - | |
| FOSTER WATER SYSTEM (King County) | - | 1953 | P | 65 | Δ | Well | - | - | None | Δ | Δ | 13 |
| | 215 | - | - | 0 | - | - | Δ | 0.140 | - | 0.035 | - | |
| FRIDAY HARBOR | 783 | 1953 | M | 250 | N | Trout Lake | Unl. | - | None | Δ | N | 14 |
| | 785 | - | - | 0 | - | - | - | Δ | - | 0.500 | - | |
| GARFIELD | 674 | Δ | M | 200 | N | 11 wells | - | - | None | Δ | N | 15 |
| | 747 | - | - | 290 | - | - | Δ | Δ | - | 0.075 | - | |
| GIG HARBOR | 803 | 1947 | Δ | 350 | Δ | Well | - | - | None | Δ | NUL | 16 |
| | 700 | - | - | 350 | - | - | 0.504 | 0.090 | - | Δ | - | |
| GILDERTON | 500 | 1913 | P | 77 | N | Spring | - | - | None | Δ | N | 17 |
| | 500 | - | - | 50 | - | - | 0.100 | 0.015 | - | 0.030 | - | |
| GLACIER | 200 | 1956 | P | 35 | N | Gallup Creek, stream | 0.375 | - | None | Δ | UIUL | 18 |
| | 100 | - | - | 0 | - | and spring | Δ | Δ | - | 0.001 | - | |
| GOLD BAR | 705 | 1934 | M | 146 | N | Olney Creek | 0.500 | Δ | Dh | Δ | Sm | 19 |
| | 329 | Δ | - | 0 | - | - | - | Δ | - | 0.025 | - | |
| GOLDENDALE | 1,917 | Δ | M | 923 | N | Springs | - | - | None | 0.720 | Sm'L | 20 |
| | 2,300 | - | - | 34 | - | - | 1.000 | Δ | - | 0.878 | - | |
| GRAND COULEE | 2,741 | 1943 | M | 382 | N | Columbia River | Unl. | 0.720 | Dc | Δ | D | 21 |
| | 1,200 | 1943 | - | 500 | - | - | - | 0.274 | - | 1.350 | - | |
| GRANDVIEW | 2,503 | 1954 | M | 1,215 | Δ | 4 wells | - | - | None | Δ | N | 22 |
| | 3,500 | - | - | 1,215 | - | - | 1.024 | Δ | - | 5.000 | - | |
| GRANGER | 1,164 | 1952 | M | 393 | N | 2 wells | - | - | None | Δ | UPL | 23 |
| | 1,300 | - | - | 393 | - | - | Δ | Δ | - | 0.250 | - | |
| GRANITE FALLS | 635 | 1949 | M | 250 | N | 2 wells | - | - | None | Δ | N | 24 |
| | 607 | - | - | 2 | - | - | 0.700 | Δ | - | 0.140 | - | |
| GRAYLAND | 411 | 1913 | M | 233 | N | Stream | 0.325 | 0.325 | Dc | 0.000 | SD | 25 |
| | 820 | 1954 | - | 0 | - | - | - | 0.083 | - | 0.500 | - | |
| GREENACRES Source # 1 | 1,737 | Δ | Δ | - | - | Spokane County | - | - | None | - | - | 26 |
| | ( Δ ) | - | - | - | - | Bacon Tracts | - | - | - | - | - | |
| GREENACRES Source # 2 | - | Δ | Δ | - | - | Spokane County | - | - | None | - | - | 27 |
| | ( Δ ) | - | - | - | - | Corbin W.D. | - | - | - | - | - | |
| HAMILTON | 294 | Δ | M | 66 | N | Well | - | - | None | Δ | L | 28 |
| | 240 | - | P | 0 | - | - | Δ | Δ | - | 0.006 | - | |
| HARBOR HEIGHTS [WD. WATER CO. (King Co.) | - | Δ | P | 46 | N | Seattle | - | - | Seattle | - | - | 29 |
| | (155) | - | - | 25 | - | - | - | - | - | - | - | |
| HARBOR HEIGHTS W. CORP. (King Co.) | 40 | Δ | P | 15 | Δ | Stream | 0.155 | Δ | None | Δ | Δ | 30 |
| | 150 | 1948 | - | 0 | - | - | - | Δ | - | 0.005 | - | |

PHS-2226
REV 4-59

# INVENTORY OF MUNICIPAL WATER FACILITIES

STATE: WASHINGTON | DATE: Jan. 1, 1958 | PAGE: 6 of 17

| COMMUNITY | 1950 Population / Estimated Population Served | Year Oper. Started / Present Supply / Present Treatment Plant | OWNERSHIP | Number of Services / Number of Meters | LAB. CONTROL | SOURCE OF SUPPLY | Safe Yield Impounded / Maximum Dependable Drain (Gr. water) MGD | Rated Plant Capacity / Average Plant Output MGD | TREATMENT | Dist. Storage / Pumps to Mains / Gravity to Mains MG | IMPROVEMENTS NEEDED | LINE NO. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | |
| HARRINGTON | 671<br>610 | 1916<br>- | M<br>- | 250<br>203 | N<br>- | 2 wells<br>- | -<br>0.648 | -<br>Δ | None<br>- | Δ<br>0.150 | N<br>- | 1 |
| HAZELMERE | 205<br>212 | 1956<br>- | W<br>- | 51<br>45 | N<br>- | 3 wells<br>- | -<br>0.180 | -<br>Δ | None<br>- | Δ<br>0.003 | UPG<br>- | 2 |
| HILTON | 100<br>56 | Δ<br>- | Δ<br>- | Δ<br>Δ | Δ<br>- | Well<br>- | -<br>Δ | -<br>Δ | None<br>- | Δ<br>Δ | Δ<br>- | 3 |
| HILLCREST W.D. (Island County) | -<br>200 | 1956<br>- | M<br>- | 35<br>35 | N<br>- | Well<br>- | -<br>0.100 | -<br>Δ | None<br>- | Δ<br>0.036 | U<br>- | 4 |
| HOOD CANAL WATER CO. (Mason Co.) | -<br>100 | 1953<br>- | P<br>- | 31<br>0 | N<br>- | Spring fed stream<br>- | 1.300<br>- | -<br>Δ | None<br>- | Δ<br>0.000 | Δ<br>- | 5 |
| HOQUIAM | 9803<br>275 | 1902<br>- | P<br>- | 83<br>0 | N<br>- | Springs<br>- | -<br>0.080 | -<br>0.030 | None<br>- | Δ<br>0.030 | U<br>- | 6 |
| HOQUIAM | 11,103<br>12,000 | 1907<br>1957 | M<br>- | 3,935<br>3,500 | Δ<br>- | Davis Creek and<br>Little Hoquiam River | 3.500<br>- | 3.500<br>2.000 | Dc<br>- | 0.000<br>10.00 | Δ<br>- | 7 |
| ILWACO | 699<br>800 | Δ<br>1943 | M<br>- | 324<br>5 | M<br>- | Black Lake<br>- | Unl.<br>- | 0.432<br>0.250 | P-Cal(2tps3v)Fpsdc<br>- | 0.000<br>0.250 | Δ<br>- | 8 |
| INDEX | 211<br>220 | 1937<br>- | M<br>- | 93<br>Δ | Δ<br>- | Stream<br>- | Δ<br>- | -<br>Δ | None<br>- | 0.000<br>0.000 | Δ<br>- | 9 |
| INDIANOLA | 800<br>800 | 1957<br>- | P<br>- | 285<br>140 | N<br>- | Well, Infiltrate<br>Creek (standby) | -<br>0.100 | -<br>Δ | None<br>Dh (standby) | Δ<br>0.048 | Δ<br>- | 10 |
| INGLEWOOD | 100<br>100 | Δ<br>- | M<br>- | 32<br>0 | N<br>- | Spring<br>- | -<br>Δ | -<br>Λ | None<br>- | Δ<br>0.003 | N<br>- | 11 |
| IONE | 714<br>800 | 1913<br>1952 | M<br>- | 180<br>0 | N<br>- | Cedar Creek<br>- | Δ<br>- | Δ<br>Δ | AmDc<br>- | Δ<br>5.000 | U<br>- | 12 |
| ISSAQUAH | 999<br>2,100 | Δ<br>Δ | M<br>- | 700<br>700 | N<br>- | Springs<br>- | -<br>Δ | 0.350<br>0.276 | Dc<br>- | Δ<br>0.340 | N<br>- | 13 |
| KALAMA | 151<br>122 | 1906<br>- | M<br>- | 50<br>0 | N<br>- | Wells<br>- | -<br>Δ | -<br>Δ | None<br>- | Δ<br>0.075 | N<br>- | 14 |
| KALAMA | 1,171<br>1,400 | 1906<br>1965 | M<br>- | 402<br>400 | N<br>- | Kalama River<br>- | Unl.<br>- | Δ<br>0.300 | Dc<br>- | 0.000<br>1.050 | N<br>- | 15 |
| KAPOWSIN | 500<br>300 | 1937<br>- | P<br>- | 32<br>2 | N<br>- | Kneeley Springs<br>- | -<br>Δ | -<br>0.030 | None<br>- | 0.050<br>Δ | UUL<br>- | 16 |
| KELSO | 7,715<br>10,000 | 1904<br>1958 | M<br>- | 2,725<br>2,718 | C<br>- | Cowlitz River<br>- | Δ<br>- | 3.000<br>0.825 | P-Calso(Wtps3v)FpsDc<br>- | Δ<br>2.450 | L<br>- | 17 |
| KENMORE | 750<br>( Δ ) | Δ<br>- | M<br>- | Δ<br>Δ | N<br>- | King County<br>Kenmore W.D. #79 | -<br>- | -<br>- | King County<br>Kenmore W.D. #79 | -<br>- | -<br>- | 18 |
| KENNEWICK | 10,106<br>18,000 | 1957<br>1957 | P<br>- | 5,421<br>5,421 | D<br>- | 3 Ranney wells<br>deep well (standby) | -<br>16.000 | 12.20<br>Δ | DesVt<br>- | 0.000<br>2.500 | WPD<br>LG | 19 |
| KENT<br>Source # 1 | 3,500<br>( Δ ) | Δ<br>- | M<br>- | -<br>- | -<br>- | Renton<br>- | -<br>- | -<br>- | None<br>- | -<br>- | -<br>- | 20 |
| KENT<br>Source # 2 | -<br>( Δ ) | Δ<br>- | P<br>- | -<br>- | -<br>- | Seattle<br>- | -<br>- | -<br>- | Seattle<br>- | -<br>- | -<br>- | 21 |
| KENT | 3,073<br>5,500 | 1908<br>- | M<br>- | 2,200<br>2,200 | N<br>- | Springs<br>- | -<br>4.000 | -<br>Δ | None<br>- | Δ<br>4.200 | N<br>- | 22 |
| KETTLE FALLS | 714<br>1,000 | 1939<br>1944 | M<br>- | 305<br>239 | N<br>- | Lake and springs<br>- | 0.072<br>Δ | 0.750<br>Δ | Dc- (lake supply)<br>- | 0.080<br>0.025 | L<br>- | 23 |
| KEYPORT | 250<br>400 | 1918<br>1939 | P<br>- | 115<br>110 | N<br>- | Spring<br>- | -<br>Δ | Δ<br>0.023 | Dh<br>- | Δ<br>0.012 | T<br>- | 24 |
| KING COUNTY Angle Lake W.D. #53 | -<br>500 | 1958<br>- | M<br>- | 182<br>173 | N<br>- | 2 wells<br>- | -<br>Δ | -<br>0.050 | None<br>- | Δ<br>0.050 | N<br>- | 25 |
| KING COUNTY Beaux Arts Village W.D. #22 | -<br>330 | 1915<br>- | M<br>- | 98<br>98 | N<br>- | Well<br>- | -<br>0.108 | -<br>0.075 | None<br>- | Δ<br>0.030 | L<br>- | 26 |
| * KING COUNTY Black Diamond W.D. #66 | -<br>1,300 | 1915<br>- | M<br>- | 320<br>0 | N<br>- | Springs<br>- | -<br>0.800 | -<br>0.100 | None<br>- | Δ<br>0.250 | C<br>- | 27 |
| KING COUNTY Boulevard Park W.D. #20 | -<br>(30,000) | Δ<br>- | M<br>- | 6,715<br>6,715 | N<br>- | Seattle<br>- | -<br>- | -<br>- | Seattle<br>- | -<br>- | -<br>- | 28 |
| KING COUNTY Bryn Mawr W.D. #14 | -<br>2,100 | 1932<br>1953 | M<br>- | 625<br>625 | N<br>- | 6 wells<br>- | -<br>1.000 | Δ<br>0.103 | Fs V 0.50<br>- | Δ<br>0.300 | N<br>- | 29 |
| * KING COUNTY Burien W.D. #49 | -<br>10,000 | Δ<br>Δ | M<br>- | 3,024<br>3,024 | Δ<br>- | 5 wells<br>- | -<br>4.300 | Δ<br>Δ | Dc<br>- | Δ<br>0.410 | N<br>- | 30 |

PHS-2226
REV 4-59

# INVENTORY OF MUNICIPAL WATER FACILITIES

STATE: WASHINGTON | DATE: Jan. 1, 1958 | PAGE: 7 of 17

| COMMUNITY | 1950 Population: Estimated Population Served | Year Oper. Started: Present Supply / Present Treatment Plant | OWNERSHIP | Number of Services: Number of Meters | LAB. CONTROL | SOURCE OF SUPPLY | Safe Yield Impounded: Maximum Dependable Draft (Gr. water) MGD | Rated Plant Capacity: Average Plant Output MGD | TREATMENT | Dist. Storage: Pumps to Mains / Gravity to Mains MG | IMPROVEMENTS NEEDED | LINE NO. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | |
| KING COUNTY | - | A | M | 226 | N | Seattle | - | - | Seattle | - | - | 1 |
| Cedar River W.D. #78 | (600) | - | - | 215 | - | - | - | - | - | - | - | |
| KING COUNTY | - | A | M | 500 | N | Springs | - | - | None | A | D | 2 |
| Christopher W.D #80 | 1,600 | - | - | 450 | - | - | A | A | - | A | - | |
| KING COUNTY | - | A | M | 245 | N | Renton | - | - | None | - | - | 3 |
| Coalfield W.D. #90 | (800) | - | - | 245 | - | - | - | - | - | - | - | |
| * KING COUNTY | - | A | M | 407 | A | 3 wells | - | - | None | A | D | 4 |
| Des Moines W.D. #54 | 1,750 | - | - | 407 | - | - | 0.900 | 0.150 | - | 0.160 | - | |
| KING COUNTY | - | A | M | 415 | N | Seattle | - | - | Seattle | - | - | 5 |
| Duwamish W.D. #25 | (1,800) | - | - | 415 | - | - | - | - | - | - | - | |
| KING COUNTY | - | A | M | 180 | N | Seattle | - | - | Seattle | - | - | 6 |
| Earlington W.D. #62 | (620) | - | - | 180 | - | - | - | - | - | - | - | |
| KING COUNTY | - | A | M | 650 | N | Seattle | - | - | Seattle | - | - | 7 |
| Factoria W.D. #107 | (2,200) | - | - | 650 | - | - | - | - | - | - | - | |
| KING COUNTY | - | A | M | A | N | Seattle | - | - | Seattle | - | - | 8 |
| Foster W.D. #35 | (700) | - | - | A | - | - | - | - | - | - | - | |
| KING COUNTY | - | A | M | 88 | A | Lake Washington | Unl. | A | Dh | A | N | 9 |
| Hunts Points W.D. #17 | 200 | A | - | 88 | - | - | - | A | - | 0.000 | - | |
| KING COUNTY | - | 1916 | M | 450 | A | Well | - | - | None | A | N | 10 |
| Juanita W.D #72 | 2,500 | - | - | 450 | - | - | 0.140 | 0.090 | - | 0.150 | - | |
| * KING COUNTY | - | A | M | 1,100 | N | Seattle | - | - | Seattle | - | - | 11 |
| Kenmore W.D. #79 | (3,300) | - | - | 1,100 | - | - | - | - | - | - | - | |
| KING COUNTY | - | 1947 | M | 1,130 | N | 3 wells | - | A | Dh | A | N | 12 |
| Lake Center W.D #100 | 4,000 | 1953 | - | 1,130 | - | - | 26.37 | 0.500 | - | 0.950 | - | |
| KING COUNTY | - | A | M | 500 | A | 13 wells | - | - | None | A | U | 13 |
| Lake Forest W.D. #83 | 1,000 | - | - | 475 | - | - | A | A | - | 0.150 | - | |
| KING COUNTY | - | A | M | 400 | A | 2 wells | - | A | Dh | A | N | 14 |
| Lake Hills W.D #97 | 1,500 | A | - | 400 | - | - | 0.200 | A | - | 0.060 | - | |
| KING COUNTY | - | 1954 | M | 88 | A | Well | - | - | None | A | A | 15 |
| Lake Luserne W.D. #91 | 150 | - | - | 88 | - | - | 0.430 | A | - | 0.050 | - | |
| * KING COUNTY | - | 1939 | M | 275 | N | King County | - | - | None | - | - | 16 |
| Medina W.D. #23 | (125,000) | 1925 | - | 275 | - | Skyway W.D. #69 | - | - | Dh - standby | - | - | |
| KING COUNTY | - | A | M | 156 | N | Well | - | - | None | A | N | 17 |
| Mercer Island W.D.#91 | 425 | - | - | 156 | - | - | A | 0.100 | - | 0.020 | - | |
| * KING COUNTY | - | 1957 | M | 1,167 | N | Seattle | - | - | Seattle | - | - | 18 |
| Mercer Island W.D.#93 | (5,000) | - | - | 1,167 | - | - | - | - | - | - | - | |
| * KING COUNTY | - | 1957 | M | 4,100 | B | 5 wells | - | - | None | A | UHDL | 19 |
| Midway W.D. #75 | 16,000 | - | - | 4,100 | - | - | 5.000 | 1.500 | - | 2.100 | - | |
| KING COUNTY | - | A | M | 5,671 | N | Seattle | - | - | Seattle | - | - | 20 |
| North City W.D. #42 | (22,684) | - | - | 5,671 | - | - | - | - | - | - | - | |
| KING COUNTY | - | A | M | 70 | A | Well | - | - | None | 0.003 | N | 21 |
| Pine Lake W.D. #82 | 210 | - | - | 70 | - | - | 0.150 | A | - | A | - | |
| * KING COUNTY | - | 1940 | M | 600 | N | Cold Brook Spring | - | - | None | A | L | 22 |
| Redondo W.D. #56 | 2,500 | - | - | 402 | - | - | 0.500 | 0.200 | - | 0.330 | - | |
| KING COUNTY Riverton | - | A | M | 2,045 | N | Seattle | - | - | Seattle | - | - | 23 |
| Heights W.D. #13 | (8,000) | - | - | 2,045 | - | - | - | - | - | - | - | |
| KING COUNTY | - | A | M | 950 | N | Kirkland | - | - | Kirkland | - | - | 24 |
| Rose Hill W.D #81 | (3,500) | - | - | 950 | - | - | - | - | - | - | - | |
| * KING COUNTY | - | A | M | 192 | N | Seattle | - | - | Seattle | - | - | 25 |
| Skyway W.D. #69 | (610) | - | - | 192 | - | - | * | - | - | - | - | |
| KING COUNTY | - | A | M | 140 | N | Seattle | - | - | Seattle | - | - | 26 |
| Skyway W.D #83 | (560) | - | - | 135 | - | - | - | - | - | - | - | |
| KING COUNTY | - | A | M | 700 | N | Seattle | - | - | Seattle | - | - | 27 |
| Spring Glen W.D. #58 | (2,800) | - | - | 700 | - | - | - | - | - | - | - | |
| KING COUNTY | - | 1956 | M | 904 | N | 5 wells | - | - | None | A | U | 28 |
| Steel Lake W.D. #64 | 3,600 | - | - | 882 | - | - | 1.200 | 0.100 | - | 0.850 | - | |
| KING COUNTY Three | - | 1930 | M | 475 | N | Well and spring | - | - | None | A | N | 29 |
| Tree Point W.D. #1 | 1,570 | - | - | 475 | - | - | A | 0.520 | - | 0.155 | - | |
| * KING COUNTY | - | A | M | 300 | A | Spring | - | A | Dh | A | N | 30 |
| Vashon W.D. #10 | 640 | A | - | 300 | - | - | A | A | - | 0.020 | - | |

PHS-2226
REV. 4-59

# INVENTORY OF MUNICIPAL WATER FACILITIES

STATE: WASHINGTON | DATE: Jan. 1, 1958 | 

| COMMUNITY | 1950 Population: Estimated Population Served | Year Oper. Started: Present Supply | Present Treatment Plant | OWNERSHIP | Number of Services: Number of Meters | LAB. CONTROL | SOURCE OF SUPPLY | Safe Yield Impounded: Maximum Dependable Draft (Gr. water) MGD | Rated Plant Capacity: Average Plant Output MGD | TREATMENT | Dist. Storage: Pumps to Mains / Gravity to Mains MG | IMPROVEMENTS NEEDED | LINE NO. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | |
| KING COUNTY | - | Δ | H | | 601 | N | Seattle | - | - | Seattle | - | - | 1 |
| White Center W.D. #45 | (2,000) | - | - | | 601 | - | - | - | - | - | - | - | |
| KING COUNTY | - | Δ | H | | 150 | N | 3 wells | - | - | None | Δ | N | 2 |
| Yarrow W.D. #1 | 500 | - | - | | 15 | - | - | 0.310 | Δ | - | 0.105 | - | |
| KINGDION | 450 | 1956 | P | | 85 | N | 2 wells | - | - | None | Δ | UL | 3 |
| | 250 | - | - | | 0 | - | - | 0.146 | Δ | - | 0.070 | - | |
| * KIRKLAND | 4,713 | 1953 | H | | 3,500 | N | Wells and Springs | - | 2.000 | KcDc | 0.100 | MPTL | 4 |
| | 5,750 | 1945 | - | | 3,500 | - | - | - | 1.500 | - | 3.400 | - | |
| KITSAP LAKE WATER CO. | - | 1939 | P | | 55 | Δ | 2 creeks | Δ | Δ | Dh | Δ | N | 5 |
| (Kitsap County) | 200 | 1946 | - | | 0 | - | - | - | Δ | - | 0.150 | - | |
| KITSAP LAKE W.D. | - | 1949 | H | | 487 | N | Brementon | - | - | Brementon | - | - | 6 |
| (Kitsap County) | (2,000) | - | - | | 487 | - | - | - | - | - | - | - | |
| KITTITAS | 596 | 1954 | H | | 175 | N | Well | - | - | None | 0.000 | L | 7 |
| | 500 | - | P | | 6 | - | - | Δ | Δ | - | 0.002 | - | |
| KLICKITAT | 607 | 1933 | P | | 237 | C | Klickitat River | Δ | 0.600 | P-CaMiSoFrsDc | 1.000 | U | 8 |
| | 682 | 1941 | - | | 0 | - | - | - | 0.300 | - | 0.100 | - | |
| LA CENTER | 224 | 1951 | H | | 103 | N | 2 deep wells | - | - | None | Δ | N | 9 |
| | 235 | - | - | | 0 | - | - | 0.396 | Δ | - | 0.010 | - | |
| LACEY | 500 | 1935 | P | | 755 | N | 7 wells | - | - | None | Δ | STDL | 10 |
| | 2,600 | - | - | | 0 | - | - | 1.000 | 0.260 | - | 0.042 | - | |
| LA CONNER | 594 | 1956 | H | | 294 | N | Surface | 0.900 | 1.000 | P-DeSoFrsDc | Δ | L | 11 |
| | 800 | Δ | - | | 290 | - | - | - | 0.180 | - | 0.200 | - | |
| LA CROSSE | 457 | 1937 | H | | 140 | N | 2 wells | - | - | None | Δ | N | 12 |
| | 457 | - | - | | 140 | - | - | Δ | Δ | - | 0.160 | - | |
| LAGOON POINT WATER | - | 1952 | H | | 100 | N | Well | - | - | None | Δ | N | 13 |
| COMPANY (Island Co.) | 300 | - | - | | 0 | - | - | 0.075 | Δ | - | 0.040 | - | |
| LAKE CENTER | 1,000 | 1948 | H | | 570 | N | 2 wells | - | 0.075 | Dh | 0.000 | TL | 14 |
| | 2,000 | Δ | - | | 570 | - | - | 0.075 | 0.250 | - | 0.100 | - | |
| LAKE FOREST PARK | 700 | Δ | H | | 500 | N | 13 wells | - | - | None | 0.150 | U | 15 |
| | 1,000 | - | - | | 475 | - | - | Δ | Δ | - | Δ | - | |
| LAKE STEVENS | 2,076 | 1947 | H | | 1,100 | B | Δ | 0.800 | Δ | Dc | Δ | G | 16 |
| | 3,850 | 1950 | - | | 1,100 | - | - | 0.800 | 3.000 | - | 0.250 | - | |
| LAKEWOOD | - | 1944 | H | | 5,973 | N | 7 wells | - | 18.00 | Dh | 0.000 | N | 17 |
| WATER DISTRICT | 21,000 | 1948 | - | | 5,973 | - | - | 18.000 | 2.500 | - | 3.140 | - | |
| LAKOTA | 125 | Δ | H | | 40 | H | Springs | - | - | None | Δ | N | 18 |
| | 125 | - | - | | 0 | - | - | Δ | Δ | - | Δ | - | |
| LAMONT | 121 | 1957 | H | | 48 | N | Well | - | - | None | Δ | L | 19 |
| | 110 | - | - | | 44 | - | - | 0.120 | Δ | - | 0.050 | - | |
| LANGLEY | 427 | 1949 | H | | 271 | N | 2 wells | - | - | None | Δ | M | 20 |
| | 485 | - | - | | 181 | - | - | 0.504 | 0.250 | - | 0.060 | - | |
| LAPUSH | 250 | Δ | P | | 70 | N | Stream | 0.064 | Δ | Dh | 0.025 | MTL | 21 |
| | 300 | 1916 | - | | 0 | - | - | - | 0.025 | - | 0.050 | - | |
| LATAH | 244 | 1915 | H | | 110 | N | Well | - | - | None | Δ | M | 22 |
| | 240 | - | - | | 110 | - | - | Δ | Δ | - | 0.050 | - | |
| LAUREL HEIGHTS | 2,400 | Δ | Δ | | - | - | Beverly Pk.-Laurel | - | - | None | - | - | 23 |
| | ( Δ ) | - | - | | - | - | Hts.-Lowell-Pinehurst | - | - | - | - | - | |
| LEAVENWORTH | 1,503 | 1917 | H | | 650 | N | Icicle Creek | 1.500 | 1.500 | Dc | Δ | SMDL | 24 |
| | 2,000 | 1940 | - | | 50 | - | well (standby) | - | 1.500 | - | 1.000 | - | |
| LEXINGTON | 150 | Δ | Δ | | - | - | Longview | - | - | Longview | - | - | 25 |
| | ( Δ ) | - | - | | - | - | - | - | - | - | - | - | |
| LIBERTY LAKE | 300 | Δ | Δ | | - | - | Spokane Co. Liberty | - | - | None | - | - | 26 |
| | ( Δ ) | - | - | | - | - | Lake Utilities | - | - | - | - | - | |
| LIND | 706 | 1954 | H | | 313 | N | 3 wells | - | - | None | Δ | N | 27 |
| | 815 | - | - | | 318 | - | - | 0.576 | Δ | - | 0.500 | - | |
| * LONG BEACH | 783 | Δ | H | | 900 | N | Creeks and springs | 0.300 | Δ | DcSc | 0.200 | Δ | 28 |
| | 1,200 | - | - | | 425 | - | - | 0.275 | 0.200 | - | 0.100 | - | |
| * LONGVIEW | 20,339 | 1915 | H | | 7,484 | C | Cowlits River | Unl. | 9.000 | P-NgDeCaWtpSmoFrs | 0.260 | D | 29 |
| | 28,000 | 1951 | - | | 7,484 | - | - | - | 3.200 | DeNgKpVs | 2.000 | - | |
| LOOMIS | 200 | 1945 | H | | 30 | N | Well, irrigation | - | - | None | Δ | Δ | 30 |
| | 100 | - | - | | 0 | - | ditch (aux.) | Δ | Δ | - | Δ | - | |

# INVENTORY OF MUNICIPAL WATER FACILITIES

STATE: WASHINGTON | DATE: Jan. 1, 1958 | PAGE: 9 of 17

| COMMUNITY | 1950 Population: Estimated Population Served | Year Oper. Started: Present Supply | Present Treatment Plant | OWNERSHIP | Number of Services: Number of Meters | LAB. CONTROL | SOURCE OF SUPPLY | Safe Yield Impounded: Maximum Dependable Draft (Gr. water) MGD | Rated Plant Capacity: Average Plant Output MGD | TREATMENT | Dist. Storage: Pumps to Mains | Gravity to Mains MG | IMPROVEMENTS NEEDED | LINE NO. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | | 12 | |
| * LOWELL | 1,400 | 1939 | M | | 750 | N | Sultan River | 10.000 | 110.0 | De | Δ | | ML | 1 |
| | 3,000 | 1948 | - | | 750 | - | - | - | 110.0 | - | Δ | | - | |
| LYLE | 250 | 1935 | P | | 85 | N | Well | - | - | None | Δ | | UD | 2 |
| | 200 | - | - | | 60 | - | - | 0.130 | 0.025 | - | 0.110 | | - | |
| LYMAN | 380 | 1943 | M | | 120 | Δ | Jones Creek | Δ | - | None | Δ | | T | 3 |
| | 380 | - | - | | 0 | - | - | - | Δ | - | 0.000 | | - | |
| LYNDEN | 2,161 | 1910 | M | | 1,144 | C | Nooksack River | 5.000 | 3.000 | P-CaHpSoFrDe | 0.000 | | PU | 4 |
| | 2,927 | 1951 | - | | 1,050 | - | - | - | 0.653 | - | 0.300 | | - | |
| LYNNWOOD | 500 | Δ | Δ | | - | - | Alderwood Manor | - | - | Alderwood Manor | - | | - | 5 |
| | ( Δ ) | - | - | | - | - | - | - | - | - | - | | - | |
| McCLEARY | 1,175 | 1951 | P | | 427 | N | McCleary Creek | 1.000 | - | None | Δ | | UP | 6 |
| | 1,115 | - | - | | 0 | - | and 2 wells | 1.000 | 0.300 | - | 0.800 | | - | |
| McKENNA | 250 | 1934 | P | | 60 | N | Well | - | Δ | Dh | Δ | | UDL | 7 |
| | 200 | Δ | - | | 0 | - | - | 0.288 | 0.020 | - | 0.008 | | - | |
| McMICKEN HEIGHTS | Δ | 1937 | P | | 1,461 | Δ | 4 wells | - | Δ | Δ | Δ | | N | 8 |
| | 5,850 | 1954 | - | | 1,461 | - | - | 1.580 | Δ | - | 0.243 | | - | |
| McMILLIN | 100 | Δ | Δ | | - | - | Alderton-McMillin | - | - | None | - | | - | 9 |
| | ( Δ ) | - | - | | - | - | - | - | - | - | - | | - | |
| MABTON | 831 | 1953 | M | | 369 | N | 3 wells | - | 0.600 | Dh | Δ | | L | 10 |
| | 910 | 1942 | - | | 367 | - | - | 1.400 | 0.490 | - | 0.050 | | - | |
| MALAGA | 100 | Δ | M | | 40 | N | Spring | - | - | None | Δ | | U | 11 |
| | 140 | 1954 | - | | 40 | - | - | 0.015 | 0.012 | - | 0.015 | | - | |
| MALDEN | 332 | 1939 | M | | 112 | N | 2 wells | - | - | None | Δ | | L | 12 |
| | 305 | - | - | | 100 | - | - | 0.850 | Δ | - | 0.105 | | - | |
| MALONE | 300 | 1947 | M | | 65 | N | Well | - | - | None | 0.000 | | U | 13 |
| | 230 | - | - | | 0 | - | - | 0.108 | 0.031 | - | 0.052 | | - | |
| * MANCHESTER | 700 | 1949 | M | | 320 | N | 2 wells | - | - | None | Δ | | N | 14 |
| | 1,000 | - | - | | 320 | - | - | 0.110 | 0.012 | - | 0.137 | | - | |
| MANSFIELD | 414 | 1952 | M | | 140 | N | Well | - | - | None | Δ | | N | 15 |
| | 363 | - | - | | 127 | - | - | 0.450 | Δ | - | 0.133 | | - | |
| MANSON | 900 | 1924 | M | | 265 | C | Lake Chelan | Unl. | 0.600 | DcVt | Δ | | DL | 16 |
| | 795 | 1944 | - | | 250 | - | - | - | 0.400 | - | 0.020 | | - | |
| MAPLE VALLEY | 145 | Δ | M | | 56 | Δ | Springs | - | Δ | Dh | Δ | | N | 17 |
| | 145 | Δ | - | | 0 | - | - | Δ | Δ | - | Δ | | - | |
| MAPLE VALLEY HEIGHTS | 198 | 1957 | M | | 40 | N | 3 wells | - | Δ | Δ | Δ | | Δ | 18 |
| | 198 | 1959 | - | | 25 | - | - | 1.680 | 0.030 | - | 0.020 | | - | |
| MARCUS | 149 | 1950 | M | | 60 | N | Well | - | - | None | 0.000 | | PL | 19 |
| | 131 | - | - | | 0 | - | - | 0.150 | Δ | - | 0.300 | | - | |
| MARIETTA | 350 | 1946 | M | | - | - | Bellingham | - | - | Bellingham | - | | - | 20 |
| | (1,000) | - | - | | - | - | - | - | - | - | - | | - | |
| MARYSVILLE | 2,259 | Δ | M | | 1,404 | N | 4 springs | - | 1.000 | De | 0.000 | | N | 21 |
| | 3,500 | 1939 | - | | 1,404 | - | - | Δ | 0.600 | - | 2.000 | | - | |
| MEADOWDALE | 150 | 1958 | M | | 52 | N | Well | - | - | None | 0.000 | | N | 22 |
| | 150 | - | - | | 52 | - | - | Δ | Δ | - | Δ | | - | |
| MEDICAL LAKE | 4,488 | 1932 | M | | 1,500 | N | 2 wells | - | - | None | 0.000 | | N | 23 |
| | 4,600 | - | - | | 1,200 | - | - | Δ | Δ | - | 1.100 | | - | |
| MEDINA | 650 | 1949 | M | | 275 | N | King County | - | - | None | - | | - | 24 |
| | (1,250) | - | - | | 275 | - | Medina W.D. #23 | - | - | - | - | | - | |
| MERCER CREST WATER ASSN. (King County) | - | Δ | P | | 235 | N | Seattle | - | - | Seattle | - | | - | 25 |
| | (1,000) | - | - | | 235 | - | - | - | - | - | - | | - | |
| MERCER ISLAND | 1,000 | 1957 | M | | 1,167 | N | King County | - | - | King County | - | | - | 26 |
| | (5,000) | - | - | | 1,140 | - | Mercer Island W.D.#93 | - | - | Mercer Island W.D.#93 | - | | - | |
| METALINE | 563 | 1942 | P | | 170 | N | Creek | Δ | - | None | Δ | | T | 27 |
| | 570 | - | - | | 0 | - | - | - | Δ | - | 0.050 | | - | |
| METALINE FALLS | 547 | Δ | M | | 150 | N | Sullivan Creek | Δ | - | None | 0.000 | | SD | 28 |
| | 608 | - | - | | 4 | - | - | - | Δ | - | 0.000 | | - | |
| MIDWAY | 1,200 | 1949 | M | | Δ | N | King County | - | - | None | - | | - | 29 |
| | ( Δ ) | - | - | | Δ | - | Midway W.D. #75 | - | - | - | - | | - | |
| MILLWOOD | 1,240 | 1957 | M | | 550 | N | 2 wells | - | - | None | Δ | | N | 30 |
| | 1,835 | - | - | | 550 | - | - | 2.500 | 2.448 | - | 0.025 | | - | |

FHS-2226
REV 4-59

# INVENTORY OF MUNICIPAL WATER FACILITIES

STATE: WASHINGTON | DATE: Jan. 1, 1958 | PAGE: 10 of 17

| COMMUNITY | 1950 Population: Estimated Population Served | Year Oper. Started: Present Supply | Present Treatment Plant | OWNERSHIP | Number of Services: Number of Meters | LAB. CONTROL | SOURCE OF SUPPLY | Safe Yield Impounded: Maximum Dependable Draft (Gr. water) MGD | Rated Plant Capacity: Average Plant Output MGD | TREATMENT | Dist. Storage: Pumps to Mains | Dist. Storage: Gravity to Mains MG | IMPROVEMENTS NEEDED | LINE NO. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | | 12 | |
| MILTON | 1,374 | 1938 | | W | 1,000 | N | 3 wells | - | - | None | Δ | | L | 1 |
| | 1,300 | - | - | | 1,000 | - | - | Δ | 0.130 | - | 0.430 | | - | |
| MOCLIPS | 500 | 1925 | | P | 43 | N | 3 wells | - | - | None | Δ | | Δ | 2 |
| | 150 | - | - | | 0 | - | - | Δ | 0.015 | - | 0.002 | | - | |
| MONROE | 1,556 | 1918 | | M | 990 | N | 4 wells | - | 2.000 | Dc | 0.000 | | L | 3 |
| | 3,000 | Δ | - | | 990 | - | - | 2.000 | 1.500 | - | 1.150 | | - | |
| MONTESANO | 2,328 | 1955 | | M | 947 | N | Sylvia Creek | 0.570 | 1.150 | Dch | Δ | | D | 4 |
| | 2,550 | 1955 | - | | 921 | - | and well | 2.160 | 0.400 | - | 1.500 | | - | |
| MORTON | 1,140 | Δ | | M | 500 | N | Connelly Creek | Unl. | Δ | MlScFraKgDc | Δ | | Δ | 5 |
| | 975 | 1944 | - | | 57 | - | - | - | 0.430 | - | 2.000 | | - | |
| MOSES LAKE | 2,672 | 1957 | | M | 2,613 | B | 7 wells | - | - | None | 0.000 | | UDL | 6 |
| | 8,800 | - | - | | 2,422 | - | - | 9.500 | 1.000 | - | 3.200 | | - | |
| MOSSYROCK | 356 | 1938 | | P | 150 | N | Springs | - | - | None | 0.000 | | N | 7 |
| | 329 | - | - | | 141 | - | - | 0.150 | Δ | - | 0.047 | | - | |
| MOUNT BAKER | Δ | 1955 | | W | 46 | N | Well | - | - | None | Δ | | N | 8 |
| | 175 | - | - | | 46 | - | - | 0.150 | Δ | - | 0.036 | | - | |
| MOUNTLAKE TERRACE | 7,380 | Δ | | Δ | - | - | Alderwood Manor | - | - | Alderwood Manor | - | | - | 9 |
| | (7,381) | - | - | | - | - | - | - | - | - | - | | - | |
| MOUNT VERNON | 5,230 | Δ | | M | - | - | Skagit County | - | - | Skagit County | - | | - | 10 |
| | (7,200) | - | - | | - | - | P.U.D. # 1 | - | - | P.U.D. # 1 | - | | - | |
| MOXEE CITY | 543 | 1943 | | M | 190 | N | Well | - | - | None (Vl.70) | Δ | | Δ | 11 |
| | 625 | - | - | | 0 | - | - | Δ | Δ | | 0.000 | | - | |
| MUKILTEO | 826 | Δ | | M | - | - | Lowell | - | - | Lowell | - | | - | 12 |
| | ( Δ ) | - | - | | - | - | - | - | - | - | - | | - | |
| NACHES | 633 | 1951 | | M | 300 | N | 2 wells | - | - | None | 1.200 | | N | 13 |
| | 605 | - | - | | 300 | - | - | Δ | 1.200 | - | 0.090 | | - | |
| NAPAVINE | 242 | 1955 | | M | 89 | N | Well | - | - | None | Δ | | N | 14 |
| | 300 | - | - | | 105 | - | - | Δ | Δ | - | 0.003 | | - | |
| NASELLE | 315 | 1951 | | P | 94 | N | Lone Creek | Δ | - | None | Δ | | STD | 15 |
| | 350 | - | - | | 0 | - | - | - | Δ | - | 0.000 | | LG | |
| NATIONAL | 500 | Δ | | P | 200 | N | Seventeen Creek | 0.930 | Δ | Dhc | 1.000 | | TL | 16 |
| | 500 | Δ | - | | 0 | - | Big Creek (aux.) | - | 0.050 | - | 0.030 | | - | |
| NEAH BAY | 665 | 1957 | | M | 125 | N | Well | - | Δ | Dh | Δ | | D | 17 |
| | 800 | Δ | - | | Δ | - | stream (aux.) | 0.158 | 0.050 | - | 0.032 | | - | |
| NESPELEM | 425 | 1939 | | W | 110 | N | Wells | - | - | None | Δ | | UD | 18 |
| | 381 | - | - | | 0 | - | - | Δ | Δ | - | 0.025 | | - | |
| NEWHALEM | Δ | 1925 | | P | 50 | Δ | Ladder Creek and | Δ | Δ | Dh | Δ | | Δ | 19 |
| | 200 | - | - | | Δ | - | Newhalem Creek | - | Δ | - | 0.050 | | - | |
| NEWPORT | 1,385 | Δ | | M | 500 | Δ | Pend Oreille River | Δ | - | None | Δ | | L | 20 |
| | 2,000 | - | - | | 450 | - | - | - | Δ | Dc- (standby) | 0.100 | | - | |
| NEW UTSILADY | Δ | 1957 | | M | Δ | N | Well | - | - | None | Δ | | N | 21 |
| | 150 | - | - | | Δ | - | - | Δ | Δ | - | 0.021 | | - | |
| NOOKSACK | 323 | 1955 | | M | - | - | Sumas | - | - | None | - | | - | 22 |
| | ( Δ ) | - | - | | - | - | - | - | - | - | - | | - | |
| NORMANDY PARK | 1,700 | Δ | | Δ | - | - | Seattle | - | - | Seattle | - | | - | 23 |
| | (2,990) | - | - | | - | - | - | - | - | - | - | | - | |
| NORTH BEND | 787 | 1935 | | M | 441 | N | Cough River | 0.500 | - | None | Δ | | Δ | 24 |
| | 1,139 | - | - | | 88 | - | - | - | Δ | - | Δ | | - | |
| NORTH BONNEVILLE | 564 | 1957 | | M | 200 | Δ | Well and spring | - | - | None | Δ | | N | 25 |
| | 690 | - | P | | 200 | - | - | Δ | Δ | - | Δ | | - | |
| NORTH LAKE | 250 | Δ | | M | 83 | Δ | Well | - | - | None | Δ | | N | 26 |
| | 250 | - | - | | 73 | - | - | 0.080 | Δ | - | 0.020 | | - | |
| NORTH PERRY AVENUE | - | 1957 | | M | 825 | N | 2 wells | - | - | None | 0.050 | | M | 27 |
| | 3,300 | - | - | | 825 | - | - | 0.457 | 0.175 | De(standby) | 0.300 | | - | |
| NORTHPORT | 487 | 1955 | | M | 170 | N | Deep Creek | 0.500 | Δ | Dc | Δ | | MD | 28 |
| | 465 | Δ | | P | 0 | - | and spring | Δ | 0.750 | - | 0.100 | | - | |
| NORTHWEST WATER ASSOCIATION | - | 1956 | | M | 65 | N | 2 wells | - | - | None | Δ | | N | 29 |
| | 200 | - | - | | 65 | - | - | 0.025 | Δ | - | 0.010 | | - | |
| OAKESDALE | 576 | 1956 | | M | 210 | N | 2 wells | - | - | None | Δ | | MDL | 30 |
| | 525 | - | - | | 240 | - | - | 0.882 | 0.180 | - | 0.175 | | - | |

PHS-2226
REV 4-59

# INVENTORY OF MUNICIPAL WATER FACILITIES

STATE: WASHINGTON | DATE: Jan. 1, 1958 | PAGE: 11 of 17

| COMMUNITY | 1950 Population: Estimated Population Served | Year Oper. Started: Present Supply | Year Oper. Started: Present Treatment Plant | OWNERSHIP | Number of Services: Number of Meters | LAB. CONTROL | SOURCE OF SUPPLY | Safe Yield Impounded: Maximum Dependable Draft (Gr. water) MGD | Rated Plant Capacity: Average Plant Output MGD | TREATMENT | Dist. Storage: Pumps to Mains | Dist. Storage: Gravity to Mains MG | IMPROVEMENTS NEEDED | LINE NO. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | | 12 | | |
| OAK HARBOR | 1,193 | 1953 | M | 890 | N | 4 wells | - | Δ | Vt | Δ | | M | | 1 |
| | 2,400 | Δ | - | 882 | - | - | 1.300 | 0.200 | - | 0.330 | | - | | |
| OAKVILLE | 372 | 1956 | M | 185 | N | Round Tree Cr. (imp.) | 0.100 | 0.100 | Dh | 0.000 | | N | | 2 |
| | 500 | 1934 | - | 0 | - | well- (summer) | 0.500 | 0.100 | (well untreated) | 0.000 | | - | | |
| O'BRIEN | 200 | Δ | M | 87 | Δ | Artesian well | - | - | None | Δ | | N | | 3 |
| | 260 | - | - | 87 | - | - | 0.220 | Δ | - | 0.025 | | - | | |
| ODESSA | 1,127 | 1937 | M | 350 | N | 2 wells | - | - | None | Δ | | Δ | | 4 |
| | 1,127 | - | - | 330 | - | - | 0.300 | Δ | - | 0.250 | | - | | |
| OKANOGAN | 2,013 | 1957 | M | 680 | N | Spring | - | Δ | Dc | Δ | | D | | 5 |
| | 2,170 | 1955 | - | 545 | - | well (aux.) | Δ | 1.008 | - | 0.800 | | - | | |
| OLGA | 100 | 1945 | M | 70 | N | Bowman Creek and | Unl. | - | None | Δ | | DL | | 6 |
| | 400 | - | - | 0 | - | Mountain Lake | - | Δ | - | Δ | | - | | |
| OLYMPIA | 15,819 | 1947 | M | 6,483 | N | McAllister Springs | - | 15.00 | Dc | 0.000 | | DL | | 7 |
| | 18,965 | 1947+ | | 6,483 | - | - | 25.000 | 2.500 | - | 5.500 | | - | | |
| * OLYMPIC VIEW WATER DISTRICT | - | 1937 | M | 2,050 | N | Cedar River | Δ | - | None | 0.000 | | D | | 8 |
| | 7,500 | - | - | 2,050 | - | - | - | 0.500 | - | Δ | | - | | |
| ONAK | 3,791 | 1944 | M | 1,546 | N | 3 wells | - | - | None | Δ | | Δ | | 9 |
| | 4,175 | - | - | 68 | - | - | Δ | 0.750 | Dc (standby) | 1.365 | | - | | |
| ONALASKA | 210 | 1928 | M | 80 | N | Springs | - | - | None | Δ | | UM | | 10 |
| | 260 | - | - | 0 | - | - | Δ | 0.080 | - | 0.075 | | - | | |
| OROVILLE | 1,500 | 1942 | M | 579 | Δ | Well | - | - | None | Δ | | Δ | | 11 |
| | 1,600 | - | - | 570 | - | - | Δ | 0.375 | - | 0.478 | | - | | |
| ORTING | 1,299 | 1925 | M | 600 | N | Springs | - | - | None | Δ | | M | | 12 |
| | 1,275 | - | - | 41 | - | well (aux.) | Δ | Δ | - | 0.216 | | - | | |
| OTHELLO | 526 | 1957 | M | 665 | N | 3 wells | - | - | None | 0.000 | | D | | 13 |
| | 2,758 | - | - | 665 | - | - | 2.000 | Δ | - | 1.000 | | - | | |
| * PACIFIC | 755 | Δ | Δ | Δ | Δ | 3 wells | - | Δ | Dh | Δ | | M | | 14 |
| | 1,825 | Δ | - | Δ | - | - | 1.200 | 0.100 | - | 0.015 | | - | | |
| PACIFIC BEACH | 500 | 1931 | P | 120 | N | 2 wells | - | Δ | I-Dh | Δ | | TD | | 15 |
| | 600 | Δ | - | 120 | - | - | 0.750 | 0.028 | - | 0.130 | | - | | |
| PACKWOOD | 300 | 1935 | P | 55 | Δ | Synder Creek | 0.100 | Δ | Δ | Δ | | SDL | | 16 |
| | 250 | 1958 | - | 0 | - | - | - | 0.025 | - | 0.001 | | - | | |
| PALOUSE | 1,036 | 1910 | M | 310 | N | 2 wells | - | - | None | Δ | | L | | 17 |
| | 1,020 | - | - | 310 | - | - | 0.250 | Δ | - | 0.134 | | - | | |
| PARKLAND | 5,500 | 1954 | M | 2,000 | N | 4 wells | - | - | None | Δ | | M | | 18 |
| | 6,000 | - | - | 2,000 | - | - | 4.500 | Δ | - | 0.650 | | - | | |
| PASCO | 10,228 | Δ | M | 3,564 | C | Columbia River | Δ | 10.00 | P-CalatNtpSoFranVgDc | 0.500 | | T | | 19 |
| | 13,752 | 1949 | - | 3,564 | - | - | - | 4.109 | - | 5.600 | | - | | |
| PATEROS | 866 | 1954 | M | 250 | N | 2 wells | - | - | None | Δ | | M | | 20 |
| | 720 | - | - | 225 | - | - | 1.080 | 0.193 | - | 0.300 | | - | | |
| PE ELL | 787 | 1927 | M | 275 | N | Leslie Creek | Δ | Δ | Dc | Δ | | L | | 21 |
| | 900 | Δ | - | Δ | - | - | - | 0.130 | - | 0.005 | | - | | |
| PENN COVE PARK W.D. (Island County) | - | 1951 | M | 101 | Δ | 2 wells | - | - | None | Δ | | M | | 22 |
| | 300 | - | - | 80 | - | - | 0.500 | Δ | - | 0.082 | | - | | |
| PESHASTIN Source # 1 | 250 | 1926 | P | 38 | N | Well | - | - | None | 0.000 | | M | | 23 |
| | 126 | - | - | 0 | - | - | Δ | 0.100 | - | Δ | | - | | |
| PESHASTIN Source # 2 | - | 1954 | M | 135 | N | Well | - | - | None | Δ | | M | | 24 |
| | 470 | - | - | 0 | - | - | 0.750 | 0.750 | - | 0.120 | | - | | |
| PESHASTIN Source # 3 | - | 1919 | M | 34 | N | Ground | - | - | None | Δ | | T | | 25 |
| | 119 | - | - | 0 | - | - | 0.007 | 0.007 | - | 0.010 | | - | | |
| PINEHURST | 1,250 | Δ | M | 728 | N | Lake Chaplin | 0.200 | Δ | Dc | 0.000 | | ML | | 26 |
| | 2,100 | 1957 | - | Δ | - | - | - | 0.115 | - | 0.100 | | - | | |
| POINT ROBERTS | 260 | 1937 | P | 180 | N | 2 springs and well | - | - | None | Δ | | STDL | | 27 |
| | 550 | - | - | 0 | - | - | Δ | Δ | - | 0.100 | | - | | |
| POMEROY | 1,775 | Δ | Δ | 650 | N | 2 springs and well | - | - | None | Δ | | M | | 28 |
| | 1,775 | - | - | 650 | - | - | Δ | Δ | - | 1.016 | | - | | |
| * PORT ANGELES | 11,233 | 1925 | M | 4,883 | N | Morse Creek | 11.000 | 11.00 | Dc | Δ | | MD | | 29 |
| | 11,850 | Δ | - | 890 | - | - | - | 4.500 | - | 7.000 | | - | | |
| PORT GAMBLE | 500 | 1958 | P | 53 | N | Well | - | Δ | Dh | Δ | | T | | 30 |
| | 150 | 1958 | - | 0 | - | springs (aux.) | 0.652 | 0.115 | - | 0.100 | | - | | |

PHS-2226
REV. 4-59

# INVENTORY OF MUNICIPAL WATER FACILITIES

STATE: WASHINGTON | DATE: Jan. 1, 1958 | PAGE: 12 of 17

| COMMUNITY | 1950 Population: Estimated Population Served | Year Oper. Started: Present Supply | Present Treatment Plant | OWNERSHIP | Number of Services: Number of Meters | LAB CONTROL | SOURCE OF SUPPLY | Safe Yield Impounded: Maximum Dependable Draft (Gr. water) MGD | Rated Plant Capacity: Average Plant Output MGD | TREATMENT | Dist. Storage: Pumps to Mains | Gravity to Mains MG | IMPROVEMENTS NEEDED | LINE NO. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | | 12 | | |
| PORT LUDLOW | 100 | 1931 | P | 4 | N | Well | - | - | None | Δ | | D | | 1 |
| | 20 | - | - | 0 | - | - | | | | 0.070 | | - | | |
| PORT MADISON | 200 | 1927 | P | 60 | N | Springs | 0.035 | 0.002 | - | 0.250 | | D | | 2 |
| | 135 | - | - | 0 | - | - | - | - | None | Δ | | - | | |
| PORT ORCHARD | 2,300 | 1957 | M | 920 | N | 5 wells | Δ | Δ | - | 0.050 | | M | | 3 |
| | 5,000 | - | - | 920 | - | - | - | - | None | 0.250 | | - | | |
| PORT TOWNSEND | 6,988 | Δ | M | 1,945 | N | Big Quilcene River | 2.200 | 0.500 | - | Δ | | Δ | | 4 |
| | 8,000 | 1929 | - | 423 | - | - | 20.000 | 20.00 | MgDe | 6.000 | | - | | |
| POULSBO | 1,014 | 1954 | M | 450 | Δ | 2 springs | - | 11.16 | - | 0.806 | | U | | 5 |
| | 1,600 | - | - | 350 | - | - | - | - | None | 1.000 | | - | | |
| PRESCOTT | 244 | 1949 | M | 90 | N | 4 wells | 0.806 | Δ | - | Δ | | UL | | 6 |
| | 233 | - | - | 86 | - | - | - | - | None | 0.035 | | - | | |
| PRESTON | 500 | Δ | P | 62 | N | 2 streams | 0.130 | Δ | - | Δ | | Δ | | 7 |
| | 250 | - | - | 0 | - | - | 0.076 | - | None | 0.016 | | - | | |
| PROSSER | 2,636 | 1947 | M | 1,014 | N | 2 wells | - | Δ | - | Δ | | U | | 8 |
| | 3,125 | Δ | - | 1,014 | - | - | - | Δ | De | 1.586 | | - | | |
| PULLMAN | 12,722 | 1957 | M | 1,861 | C | 4 wells | 2.000 | Δ | - | Δ | | Δ | | 9 |
| | 8,000 | 1949 | P | 1,861 | - | - | - | 4.000 | DeVa V 0.30 | 1.900 | | - | | |
| PUYALLUP | 12,710 | 1945 | M | 3,060 | N | Springs and well | 4.000 | 1.120 | - | Δ | | M | | 10 |
| | 14,000 | - | - | 700 | - | - | - | - | None | 2.930 | | - | | |
| QUINAULT | 400 | 1925 | P | 140 | N | Gatton Creek | Δ | 2.500 | - | Δ | | SNT | | 11 |
| | 400 | - | - | 0 | - | - | 0.790 | - | None | Δ | | DL | | |
| QUINCY | 804 | 1956 | M | 640 | N | 2 wells | - | Δ | - | Δ | | M | | 12 |
| | 2,500 | - | - | 640 | - | - | - | - | None | 1.000 | | - | | |
| RAINIER | 331 | 1950 | M | 95 | Δ | 2 wells | 3.450 | Δ | - | Δ | | Δ | | 13 |
| | 300 | - | - | 90 | - | - | - | - | None | 0.100 | | - | | |
| RANDLE | Δ | 1953 | P | 55 | N | Mill Creek | 0.105 | Δ | - | Δ | | Δ | | 14 |
| | 206 | Δ | - | 0 | - | - | Δ | Δ | Dh | 0.009 | | - | | |
| RAVENSDALE | 250 | 1930 | P | 65 | N | Lake Retreat | - | Δ | - | 0.000 | | L | | 15 |
| | 400 | 1937 | - | 0 | - | - | Δ | 0.500 | Dh | 0.000 | | - | | |
| RAYMOND | 4,413 | 1922 | M | 1,343 | N | Butte Creek | - | 0.500 | - | 0.000 | | MD | | 16 |
| | 4,600 | Δ | - | 1,310 | - | South Willapa R.(aux) | 2.500 | 2.500 | De | 6.000 | | - | | |
| REARDAN | 410 | 1957 | M | 173 | Δ | 5 wells | - | 0.800 | - | Δ | | M | | 17 |
| | 412 | - | - | 173 | - | - | - | - | None | 0.100 | | - | | |
| * REDMOND | 573 | 1951 | M | 390 | N | Streams and well | 0.360 | Δ | - | Δ | | UL | | 18 |
| | 1,005 | - | - | 350 | - | - | 2.760 | - | None | 0.330 | | - | | |
| * REDONDO | 500 | 1940 | M | 600 | N | King County | 3.960 | Δ | - | - | | - | | 19 |
| | (2,500) | - | - | 402 | - | Redondo W.D. #56 | - | - | None | - | | - | | |
| * RENTON | 16,039 | 1943 | M | 4,000 | C | Springbrook Springs | - | - | - | Δ | | MPUL | | 20 |
| | 21,600 | - | - | 4,900 | B | and 4 wells | 10.000 | 7.000 | - | 7.400 | | - | | |
| REPUBLIC | 895 | 1953 | M | 330 | N | Granite Creek | Δ | - | None | Δ | | M | | 21 |
| | 1,000 | - | - | 330 | - | - | - | 0.200 | - | 0.250 | | - | | |
| RETSIL | 900 | Δ | Δ | - | - | Annapolis-Retsil | - | - | None | - | | - | | 22 |
| | ( Δ ) | - | - | - | - | - | - | - | - | - | | - | | |
| RICHLAND | 21,900 | 1922 | M | 7,000 | N | Yakima River | Unl. | 35.20 | De | 7.000 | | M | | 23 |
| | 22,000 | 1953 | - | 7,000 | - | and 24 wells | Δ | 12.00 | - | 6.000 | | - | | |
| RICHMOND BEACH | 1,500 | Δ | P | - | - | Seattle | - | - | Seattle | - | | - | | 24 |
| | ( Δ ) | - | - | - | - | - | - | - | - | - | | - | | |
| RIDGEFIELD | 762 | 1930 | M | 260 | N | Well | - | - | None | Δ | | UPI | | 25 |
| | 750 | - | - | 258 | - | - | Δ | 0.080 | - | 0.020 | | - | | |
| RITZVILLE | 2,145 | 1936 | M | 700 | N | 3 wells | - | - | None | Δ | | M | | 26 |
| | 2,145 | - | - | 700 | - | - | Δ | Δ | - | 1.300 | | - | | |
| RIVERSIDE | 140 | 1932 | M | 50 | N | Well | - | - | None | Δ | | M | | 27 |
| | 125 | - | - | 0 | - | - | Δ | Δ | - | 0.020 | | - | | |
| ROCKFORD | 380 | 1946 | M | 150 | N | 2 wells | - | Δ | Δ | Δ | | M | | 28 |
| | 400 | 1957 | - | 147 | - | - | 0.160 | 2.063 | - | 0.150 | | - | | |
| ROCK ISLAND | 152 | 1952 | M | 100 | N | Well | - | - | None | 0.000 | | UL | | 29 |
| | 243 | - | - | 0 | - | - | 0.075 | Δ | - | 0.003 | | - | | |
| ROLLING BAY | 325 | 1947 | P | Δ | N | Springs | - | Δ | Dh | 0.072 | | Δ | | 30 |
| | 350 | Δ | - | Δ | - | - | Δ | Δ | - | 0.065 | | - | | |

PHS-2226
REV 4-59

# INVENTORY OF MUNICIPAL WATER FACILITIES

STATE: WASHINGTON | DATE: Jan. 1, 1958 | PAGE: 13 of 17

| COMMUNITY | 1950 Population: Estimated Population Served | Year Oper. Started: Present Supply | Present Treatment Plant | OWNERSHIP | Number of Services: Number of Meters | LAB CONTROL | SOURCE OF SUPPLY | Safe Yield Impounded: Maximum Dependable Draft (Gr. water) MGD | Rated Plant Capacity: Average Plant Output MGD | TREATMENT | Distribution Storage: Pumps to Mains MG | Distribution Storage: Gravity to Mains MG | IMPROVEMENTS NEEDED | LINE NO |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 11 | 12 | | |
| ROSALD | 500 | Δ | N | - | - | Roslyn | - | - | None | - | | - | | 1 |
| | (850) | - | P | - | - | - | - | - | - | - | | - | | |
| ROSALIA | 660 | 1952 | M | 250 | N | Well | - | - | None | Δ | | Δ | | 2 |
| | 670 | - | - | 240 | - | - | 0.300 | 0.150 | - | 0.150 | | - | | |
| * ROSLYN | 1,037 | 1900 | M | 589 | N | Domeric Creek | Δ | - | None | Δ | | N | | 3 |
| | 1,750 | - | - | 5 | - | - | - | Δ | - | 1.000 | | - | | |
| RUSTON | 838 | Δ | N | - | - | Tacoma | - | - | Tacoma | - | | - | | 4 |
| | (760) | - | - | - | - | - | - | - | - | - | | - | | |
| RYDERWOOD | 848 | 1953 | P | 184 | C | Campbell Creek | 1.307 | 1.000 | Dc | 0.000 | | N | | 5 |
| | 400 | 1945 | - | 0 | - | - | - | 0.500 | - | 0.135 | | - | | |
| ST. JOHN | 542 | 1956 | M | 180 | N | 3 wells | - | - | None | Δ | | Δ | | 6 |
| | 554 | - | - | 170 | - | - | 0.300 | Δ | - | Δ | | - | | |
| SALKUM | 849 | 1938 | P | 22 | N | Well | - | - | None | Δ | | Δ | | 7 |
| | 128 | - | - | 10 | - | - | 0.014 | Δ | - | 0.001 | | - | | |
| SANDY HOOK | 125 | 1954 | P | 49 | N | Springs and well | - | - | None | Δ | | S | | 8 |
| | 114 | - | - | 0 | - | - | 0.019 | Δ | - | 0.027 | | - | | |
| SARATOGA | Δ | 1956 | P | 49 | N | 2 wells | - | - | None | Δ | | N | | 9 |
| | 150 | - | - | 49 | - | - | 1.500 | Δ | - | 0.025 | | - | | |
| SCENIC BEACH Island County | Δ | 1957 | M | 54 | N | Well | - | - | None | Δ | | N | | 10 |
| | 350 | - | - | 0 | - | - | 0.300 | Δ | - | 0.050 | | - | | |
| SEAHURST | 2,000 | Δ | Δ | Δ | N | Seattle | - | - | Seattle | - | | - | | 11 |
| | ( Δ ) | - | - | Δ | - | - | - | - | - | - | | - | | |
| * SEATTLE | 572,000 | 1900 | M | 151,075 | C | Chester W. Moore L. | 200.00 | 251.0 | NgDcTc | 379.9 | | DL | | 12 |
| | 686,300 | 1915 | - | 151,075 | B | and Cedar River | - | 92.80 | - | 13.87 | | - | | |
| SEAVIEW | 600 | Δ | M | - | - | Long Beach | - | - | Long Beach | - | | - | | 13 |
| | ( Δ ) | - | - | - | - | - | - | - | - | - | | - | | |
| SEDRO-WOOLEY | 3,000 | Δ | M | - | - | Skagit County | - | - | Skagit County | - | | - | | 14 |
| | (3,775) | - | - | - | - | P.U.D. # 1 | - | - | P.U.D. # 1 | - | | - | | |
| SEKIU | Δ | 1910 | P | 41 | Δ | Falls Creek | Δ | Δ | Dh | Δ | | Δ | | 15 |
| | 125 | Δ | - | 0 | - | - | - | 0.030 | - | 0.030 | | - | | |
| SELAH | 2,400 | 1939 | M | 920 | C | 4 wells | - | - | None (V 0.20) | Δ | | N | | 16 |
| | 2,820 | - | - | 875 | B | - | 0.750 | 0.200 | - | 1.000 | | - | | |
| SEQUIM | 1,944 | Δ | M | 476 | N | Infiltration gallery | - | 3.000 | De | 0.000 | | Δ | | 17 |
| | 1,300 | Δ | - | 75 | - | - | 2.000 | 2.000 | - | 0.500 | | - | | |
| SHELTON | 5,045 | 1927 | M | 2,250 | N | Spring and 2 wells | - | - | None | Δ | | U | | 18 |
| | 5,725 | - | - | 2,250 | - | - | 5.000 | 2.000 | - | 0.800 | | - | | |
| SHOREWOOD-MERCER ISLAND | Δ | 1949 | P | 1 | C | Lake Washington | Δ | Δ | P-CtNpSmFraKoDc | 0.060 | | N | | 19 |
| | 2,000 | 1950 | - | 1 | - | - | - | 0.200 | - | 0.160 | | - | | |
| SILVANA | Δ | 1914 | P | 35 | N | Spring | - | - | None | Δ | | N | | 20 |
| | 100 | - | - | 0 | - | - | Δ | Δ | - | 0.008 | | - | | |
| SILVERDALE | 500 | 1938 | M | 375 | N | Springs | - | - | None | Δ | | Su | | 21 |
| | 1,500 | - | - | 0 | - | - | Δ | 0.338 | - | 0.150 | | - | | |
| SIMILK BEACH Source # 1 | 200 | 1956 | M | 90 | N | Well | - | Δ | Dh | Δ | | Δ | | 22 |
| | Δ | Δ | - | 90 | - | - | - | Δ | - | 0.150 | | - | | |
| SIMILK BEACH Source # 2 | - | Δ | Δ | - | - | Skagit County | - | - | Skagit County | - | | - | | 23 |
| | ( Δ ) | - | - | - | - | P.U.D. # 1 | - | - | - | - | | - | | |
| * SKAGIT COUNTY P.U.D. # 1 | - | 1954 | Δ | 7,141 | C | Skagit River | 3.000 | 2.500 | P-AmJeCaISeFraKeDc | 0.000 | | SM | | 24 |
| | 22,000 | 1923 | - | 7,141 | - | and 2 wells | 5.000 | 1.500 | - | 6.450 | | - | | |
| SKAMOKAWA | 250 | 1870 | P | 50 | N | Springs | - | - | None | Δ | | NL | | 25 |
| | 260 | - | - | 0 | - | - | Δ | Δ | - | 0.100 | | - | | |
| SKYKOMISH | 497 | 1913 | M | 200 | N | Cold Creek | 0.075 | - | None | Δ | | NDC | | 26 |
| | 480 | - | - | 0 | - | well (aux.) | - | 0.050 | - | 0.060 | | - | | |
| SNOHOMISH | 3,704 | 1931 | M | 1,780 | N | Pilchuck River (imp.) | 2.000 | 2.000 | De | 0.000 | | UL | | 27 |
| | 3,575 | 1931 | - | 425 | - | - | - | Δ | - | 3.000 | | - | | |
| SNOQUALMIE | 806 | 1950 | M | 551 | N | Canyon Creek Springs | - | - | None | Δ | | DL | | 28 |
| | 1,700 | - | - | 0 | - | - | Δ | Δ | - | Δ | | - | | |
| SNOQUALMIE FALLS | 761 | 1917 | P | 124 | N | Tequl Creek | 1.000 | 2.000 | De | 0.000 | | N | | 29 |
| | 600 | 1918 | - | 0 | - | - | - | 0.900 | - | 0.000 | | - | | |
| SOAP LAKE | 2,001 | 1950 | M | 505 | N | 2 wells | - | - | None | Δ | | N | | 30 |
| | 2,723 | - | - | 505 | - | - | 2.450 | Δ | - | 0.300 | | - | | |

PHS-2226
REV 4-59

# INVENTORY OF MUNICIPAL WATER FACILITIES

STATE: WASHINGTON | DATE: Jan. 1, 1958 | PAGE: 14 of 17

| COMMUNITY | 1950 Population: Estimated Population Served | Year Oper. Started: Present Supply | Year Oper. Started: Present Treatment Plant | OWNERSHIP | Number of Services: Number of Meters | LAB CONTROL | SOURCE OF SUPPLY | Safe Yield Impounded: Maximum Dependable Draft (Gr. water) MGD | Rated Plant Capacity: Average Plant Output MGD | TREATMENT | Disc. Storage: Pumps to Mains | Disc. Storage: Gravity to Mains MG | IMPROVEMENTS NEEDED | LINE NO. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | | 12 | |
| SOUTH AUBURN WATER COMPANY (King County) | - | Δ | | M | 47 | Δ | Well | - | - | None | Δ | | N | 1 |
| | 150 | - | | - | 0 | - | - | 0.400 | Δ | | 0.010 | | - | |
| SOUTH BEND | 1,057 | 1957 | | M | 850 | Δ | Creeks | Δ | 0.700 | Dc | Δ | | Δ | 2 |
| | 2,300 | 1947 | | - | 800 | - | - | - | 0.600 | - | 3.500 | | - | |
| SOUTH CLE ELUM | 442 | Δ | | M | - | - | Cle Elum | - | - | Cle Elum | - | | - | 3 |
| | (405) | - | | - | - | - | - | - | - | | - | | - | |
| SOUTH COLBY | 300 | Δ | | Δ | - | - | Manchester | - | - | None | - | | - | 4 |
| | ( Δ ) | - | | - | - | - | - | - | - | | - | | - | |
| SOUTHEAST TACOMA MUTUAL WATER COMPANY | - | 1953 | | P | 1,650 | Δ | 5 wells | - | Δ | Δ | Δ | | Δ | 5 |
| | 5,000 | 1959 | | - | 1,650 | - | - | 2.420 | 0.450 | - | 0.230 | | - | |
| SOUTH PRAIRIE | 217 | 1951 | | Δ | 65 | N | Well | - | - | None | Δ | | UD | 6 |
| | 200 | - | | - | 2 | - | - | Δ | 0.030 | - | 0.045 | | - | |
| SOUTH SEATTLE WATER COMPANY (King County) | - | Δ | | M | 1,324 | Δ | 4 wells | - | - | None | Δ | | N | 7 |
| | 4,250 | - | | - | 1,314 | - | - | 1.900 | 0.150 | - | 0.147 | | - | |
| SPANAWAY | 1,400 | Δ | | Δ | Δ | N | Tacoma | - | - | Tacoma | - | | - | 8 |
| | ( Δ ) | - | | - | Δ | - | - | - | - | | - | | - | |
| SPANGLE | 270 | 1949 | | M | 80 | Δ | 2 wells | - | - | None | Δ | | N | 9 |
| | 270 | - | | - | 80 | - | - | Δ | Δ | - | 0.075 | | - | |
| SPOKANE | 161,721 | 1937 | | M | 52,940 | C | 17 wells | - | 225.8 | Dc | Δ | | U | 10 |
| | 187,000 | 1925 | | - | 52,940 | B | - | Unl. | 66.00 | - | 84.50 | | - | |
| * SPOKANE COUNTY Bacon Tracts | - | 1955 | | M | 40 | N | Well | - | - | None | Δ | | N | 11 |
| | 150 | - | | - | 40 | - | - | Unl. | 0.020 | - | 0.000 | | - | |
| SPOKANE COUNTY Carnhope W.D. # 7 | - | 1950 | | M | 400 | N | Well | - | - | None | Δ | | N | 12 |
| | 1,500 | - | | - | 25 | - | - | Unl. | 0.180 | - | 0.050 | | - | |
| * SPOKANE COUNTY Corbin W.D. | - | 1950 | | M | 400 | Δ | Well | - | - | None | Δ | | Δ | 13 |
| | 1,600 | - | | - | 400 | - | - | Unl. | 0.180 | - | 0.000 | | - | |
| SPOKANE COUNTY Hutchinson I.D. # 16 | - | 1957 | | M | 565 | Δ | Well | - | - | None | Δ | | Δ | 14 |
| | 2,000 | - | | - | 565 | - | - | Unl. | Δ | - | 0.075 | | - | |
| SPOKANE COUNTY Irvin W.D. | - | 1955 | | M | 250 | Δ | Well | - | - | None | Δ | | Δ | 15 |
| | 1,000 | - | | - | 0 | - | - | Unl. | Δ | - | 0.300 | | - | |
| * SPOKANE COUNTY Liberty Lake Util. | - | 1958 | | P | 204 | Δ | Spring and well | - | - | None | Δ | | Δ | 16 |
| | 700 | - | | - | 0 | - | - | 2.560 | 0.070 | - | 0.019 | | - | |
| SPOKANE COUNTY Model Water&Light Co. | - | 1951 | | M | 290 | N | Well | - | - | None | Δ | | N | 17 |
| | 1,000 | - | | - | 290 | - | - | Unl. | Δ | - | 0.050 | | - | |
| SPOKANE COUNTY Rural Electric Water Company | - | 1953 | | M | 3,304 | Δ | 8 wells | - | - | None | Δ | | Δ | 18 |
| | 15,000 | - | | - | 3,304 | - | - | Unl. | 2.000 | - | 0.200 | | - | |
| SPOKANE COUNTY N. Spokane W.D. #8 | - | 1950 | | M | 600 | Δ | Wells | - | - | None | Δ | | Δ | 19 |
| | 2,500 | - | | - | 600 | - | - | Unl. | 0.300 | - | 0.100 | | - | |
| SPOKANE COUNTY O.B. Wilson | - | 1948 | | P | 220 | N | 2 wells | - | - | None | Δ | | P | 20 |
| | 800 | - | | - | 220 | - | - | Unl. | 0.080 | - | 0.030 | | - | |
| SPOKANE COUNTY Pasadena Park W. Co. | - | 1951 | | P | 435 | Δ | Well | - | - | None | Δ | | Δ | 21 |
| | 1,800 | - | | - | 435 | - | - | Unl. | 0.200 | - | 0.300 | | - | |
| SPOKANE COUNTY Trentwood I.D. # 3 | - | 1957 | | M | 514 | N | 2 wells | - | - | None | Δ | | N | 22 |
| | 2,000 | - | | - | 514 | - | - | Unl. | 0.500 | - | 0.000 | | - | |
| SPOKANE COUNTY University Place | - | 1954 | | P | 140 | Δ | Well | - | - | None | Δ | | Δ | 23 |
| | 600 | - | | - | 140 | - | - | Unl. | 0.080 | - | 0.000 | | - | |
| * SPOKANE COUNTY Vera I.D. # 15 | - | 1956 | | M | 1,577 | Δ | 5 wells | - | - | None | Δ | | Δ | 24 |
| | 6,000 | - | | - | 1,577 | - | - | Unl. | 0.600 | - | 1.000 | | - | |
| SPOKANE COUNTY Whitworth W.D. | - | Δ | | M | 585 | N | Well | - | - | None | Δ | | N | 25 |
| | 2,000 | - | | - | 585 | - | - | Unl. | 0.250 | - | 1.000 | | - | |
| * SPOKANE COUNTY Yardley W.D. # 3 | - | 1952 | | M | 117 | N | Well | - | - | None | Δ | | N | 26 |
| | 450 | - | | - | 115 | - | - | Unl. | 0.050 | - | 0.050 | | - | |
| SPRAGUE | 503 | 1905 | | M | 271 | N | Spring and 3 wells | - | 1.600 | Dh | Δ | | G | 27 |
| | 575 | Δ | | - | 240 | - | - | 1.960 | 0.268 | - | 0.185 | | - | |
| SPRINGDALE | 208 | 1952 | | M | 56 | N | Well | - | - | None | Δ | | Δ | 28 |
| | 235 | - | | - | 56 | - | - | 0.720 | Δ | - | 0.080 | | - | |
| * STANWOOD | 717 | 1925 | | P | 720 | Δ | Springs and 4 wells | - | - | None | Δ | | Δ | 29 |
| | 2,000 | - | | - | 625 | - | - | 2.800 | 0.800 | - | 0.326 | | - | |
| STAR LAKE WATER COMPANY (King County) | - | Δ | | M | 155 | N | 2 wells | - | - | None | Δ | | N | 30 |
| | 510 | - | | - | 155 | - | - | 0.650 | Δ | - | 0.065 | | - | |

PHS-2326
REV 4-59

# INVENTORY OF MUNICIPAL WATER FACILITIES

STATE: WASHINGTON | DATE: Jan. 1, 1958 | PAGE: 15 of 17

| COMMUNITY | 1950 Population / Estimated Population Served | Year Oper. Started / Present Supply / Present Treatment Plant | OWNERSHIP | Number of Services / Number of Meters | LAB CONTROL | SOURCE OF SUPPLY | Safe Yield Impounded / Maximum Dependable Draft (Gr. water) MGD | Rated Plant Capacity / Average Plant Output MGD | TREATMENT | Day Storage / Pumps to Mains / Gravity to Mains MG | IMPROVEMENTS NEEDED | LINE NO. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | |
| STARTUP | 300 | 1949 | P | 93 | N | Olney Creek | Δ | - | None | Δ | N | 1 |
| | 400 | - | - | 0 | - | - | - | Δ | - | 0.000 | - | |
| STEILACOOM | 1,322 | 1953 | M | 490 | N | Springs and 2 wells | - | - | None | Δ | N | 2 |
| | 1,175 | - | - | 10 | - | - | 1.220 | Δ | - | 0.407 | - | |
| STEVENSON | 584 | Δ | M | Δ | N | Lebong Creek | Δ | - | None (V 0.10) | Δ | - | 3 |
| | 753 | - | - | Δ | - | and 3 wells | Δ | Δ | - | Δ | - | |
| SULTAN | 814 | 1949 | M | 360 | N | Stream | Unl. | - | None | 0.000 | N | 4 |
| | 1,000 | - | - | 0 | - | - | - | Δ | - | 0.500 | - | |
| * SUMAS | 658 | Δ | M | 59 | N | Springs | - | - | None | Δ | STD | 5 |
| | Δ | - | - | 251 | - | - | Δ | Δ | - | 0.155 | - | |
| SUMMIT DISTRICT | - | Δ | P | 700 | N | 3 wells | - | Δ | Δ | 0.028 | N | 6 |
| (Pierce County) | 2,400 | 1956 | - | 700 | - | - | 1.570 | 0.330 | - | 0.019 | - | |
| SUMNER | 2,916 | 1883 | M | 1,040 | N | Springs | - | - | None | Δ | Δ | 7 |
| | 3,056 | - | - | 102 | - | spring (aux.) | 1.500 | 0.300 | - | 1.000 | - | |
| SUNLIGHT BEACH | Δ | 1948 | M | 67 | N | 2 wells | - | - | None | Δ | N | 8 |
| Island County | 250 | - | P | 30 | - | - | 0.500 | Δ | - | 0.020 | - | |
| SUNNYSIDE | 4,194 | 1954 | M | 2,495 | N | 5 wells | - | - | None | Δ | L | 9 |
| | 4,888 | - | - | 1,884 | - | - | 4.500 | Δ | - | 1.500 | - | |
| SUNNYSLOPE | 600 | 1952 | M | 97 | N | Well | - | - | None | Δ | N | 10 |
| | 400 | - | - | 97 | - | - | 0.200 | 0.040 | - | 0.025 | - | |
| SUNSET BEACH | Δ | 1931 | P | 35 | Δ | Halyoke Creek | Δ | - | None | Δ | Δ | 11 |
| Mason County | 110 | - | - | 0 | - | - | - | Δ | - | Δ | - | |
| SUQUAMISH | 1,000 | 1945 | P | 325 | N | 2 wells | - | - | None | Δ | Δ | 12 |
| | 900 | - | - | 325 | - | wells (standby) | 0.151 | Δ | - | 0.225 | - | |
| SWAN TRAIL | 100 | 1948 | M | 83 | N | Sultan River | 0.010 | 0.110 | Dc | Δ | N | 13 |
| | 332 | 1948 | - | Δ | - | - | - | 0.110 | - | Δ | - | |
| * TACOMA | 143,673 | 1913 | M | 45,376 | C | Green River | 73.000 | 73.00 | MgDc | 7.200 | N | 14 |
| | 166,100 | 1957 | - | 44,189 | B | - | - | 52.34 | - | 0.000 | - | |
| TAHOLAH | 350 | Δ | Δ | 100 | N | Spring | - | - | None | Δ | MD | 15 |
| | 350 | - | - | 0 | - | - | 0.105 | 0.035 | - | 0.030 | - | |
| TEKOA | 1,189 | 1952 | M | 461 | C | 3 wells | - | - | None | Δ | N | 16 |
| | 1,048 | - | - | 409 | - | - | 0.001 | Δ | - | 0.450 | - | |
| TENINO | 965 | 1939 | M | 300 | N | Ground | - | Δ | Dc | Δ | UL | 17 |
| | 1,082 | 1938 | - | 300 | - | - | Δ | 0.110 | - | 0.345 | - | |
| TERMINAL HEIGHTS | 250 | 1930 | P | 80 | N | 2 wells and | - | - | None | Δ | Δ | 18 |
| | 280 | - | - | 0 | - | - | 0.010 | Δ | - | 0.030 | - | |
| THE HIGHLANDS | 300 | 1938 | M | 72 | Δ | Artesian well | - | Δ | Dc | Δ | LU | 19 |
| | 300 | - | P | 72 | - | and deep well | 0.800 | 3.000 | - | Δ | - | |
| TIETON | 620 | 1954 | M | 190 | N | 2 wells | - | - | None | Δ | N | 20 |
| | 450 | - | - | 180 | - | - | 0.940 | Δ | - | 0.200 | - | |
| TOLEDO | 602 | 1946 | M | 223 | N | Springs | - | 0.500 | Dh | Δ | L | 21 |
| | 559 | 1946 | - | Δ | - | - | 0.160 | 0.100 | - | Δ | - | |
| TONASKET | 957 | 1947 | M | 350 | N | 2 wells | - | - | None | Δ | N | 22 |
| | 983 | - | - | 200 | - | - | Δ | Δ | - | 0.110 | - | |
| TOPPENISH | 5,265 | 1947 | M | 1,800 | Δ | 4 wells | - | - | None | Δ | UPL | 23 |
| | 5,770 | - | - | 1,800 | - | - | 2.500 | 2.500 | - | 0.775 | - | |
| TRACTION | 550 | 1943 | M | 180 | N | Stream | 0.100 | Δ | Dh | Δ | S | 24 |
| | 550 | Δ | - | 180 | - | - | - | 0.050 | - | 0.050 | - | |
| TROUT LAKE | 450 | 1931 | P | 91 | N | Creek | Δ | - | None | 0.000 | SU | 25 |
| | 320 | - | - | 0 | - | - | - | 0.030 | - | 0.003 | - | |
| TUKWILA | 800 | 1929 | M | - | - | Seattle | - | - | Seattle | - | - | 26 |
| | (1,060) | - | - | - | - | - | - | - | - | - | - | |
| TULALIP | Δ | 1939 | P | 400 | N | Jimicum Creek | 0.300 | Δ | Dh | 0.000 | UL | 27 |
| | 1,000 | 1939 | - | 0 | - | - | - | 0.060 | - | 3.065 | - | |
| TUMWATER | 2,725 | 1950 | M | 1,300 | N | 4 wells | - | - | None | 0.000 | D | 28 |
| | 4,000 | - | - | 1,300 | - | - | 1.500 | Δ | - | 0.750 | - | |
| TWISP | 776 | 1939 | M | 250 | N | Well | - | - | None | Δ | U | 29 |
| | 810 | - | - | 250 | - | - | 0.432 | Δ | - | 0.410 | - | |
| TYEE BEACH | Δ | 1952 | M | 75 | N | Spring | - | - | None | Δ | N | 30 |
| Island County | 250 | - | - | 0 | - | - | 0.250 | Δ | - | 0.005 | - | |

PHS-2726
REV 4-59

# INVENTORY OF MUNICIPAL WATER FACILITIES

STATE: WASHINGTON | DATE: Jan. 1, 1958 | PAGE: 16 of 17

| COMMUNITY | 1950 Population: Estimated Population Served | Year Operation Started: Present Supply | Year Operation Started: Present Treatment Plant | OWNERSHIP | Number of Services: Number of Meters | LAB CONTROL | SOURCE OF SUPPLY | Safe Yield Impounded: Maximum Dependable Draft (Ge water) MGD | Rated Plant Capacity: Average Plant Output MGD | TREATMENT | Raw Storage: Pumps to Mains | Raw Storage: Gravity to Mains MG | IMPROVEMENTS NEEDED | LINE NO. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | | 12 | | |
| UNION GAP | 2,125 | 1928 | W | 700 | A | 4 wells | - | A | A | A | | A | | 1 |
| | 2,850 | 1954 | - | 690 | - | - | 3.000 | 0.600 | - | 0.150 | | - | | |
| UNIONTOWN | 254 | 1955 | W | 90 | N | 2 wells | - | - | None | A | | NUL | | 2 |
| | 261 | - | - | 90 | - | - | 0.144 | A | - | 0.111 | | - | | |
| UNIVERSITY PLACE | 6,000 | 1943 | A | A | N | 6 wells | - | A | A | A | | N | | 3 |
| | 4,500 | 1957 | - | A | - | - | A | 0.500 | - | 0.700 | | - | | |
| USK | 225 | 1923 | P | 55 | N | Pend Oreille River | Unl. | 0.390 | Dh | A | | N | | 4 |
| | 150 | A | - | 0 | - | - | - | 0.010 | - | 0.000 | | - | | |
| UTSALADY BEACH | A | 1947 | W | 25 | N | 5 springs | - | - | None | A | | N | | 5 |
| Island County | 200 | - | - | 0 | - | - | 0.200 | A | - | 0.080 | | - | | |
| VADER | 416 | 1916 | W | 135 | N | Stream and 2 wells | A | - | None | A | | Usa | | 6 |
| | 416 | - | - | 0 | - | - | 0.210 | A | - | 0.250 | | PG | | |
| VAIL | 175 | 1953 | P | 50 | N | Well | - | - | None | A | | A | | 7 |
| | 175 | - | - | 0 | - | - | 0.040 | 0.020 | - | 0.020 | | - | | |
| VALLEY | 100 | 1931 | P | 18 | N | Spring | - | - | None | A | | SPID | | 8 |
| | 75 | - | - | 0 | - | - | A | 0.043 | - | 0.006 | | - | | |
| VANCOUVER | 41,664 | 1908 | W | 13,000 | N | 3 springs | - | 2.500 | DeNg | 14.00 | | SIL | | 9 |
| Source # 1 | 4,800 | 1939 | - | 12,697 | - | - | A | 0.500 | - | 15.63 | | - | | |
| VANCOUVER | - | 1908 | W | - | A | 3 wells | - | 45.00 | De | A | | A | | 10 |
| Source # 2 | 24,500 | 1942 | - | - | - | - | A | 2.600 | - | A | | - | | |
| VANCOUVER | - | A | A | - | A | 11 wells | - | - | None | A | | A | | 11 |
| Source # 3 | 24,500 | - | - | - | - | - | A | 2.600 | - | A | | - | | |
| VASHON | 500 | A | W | 175 | N | King County | - | - | King County | - | | - | | 12 |
| | (580) | - | - | 175 | - | Vashon W.D. # 19 | - | - | Vashon W.D. # 19 | - | | - | | |
| VASHON HEIGHTS | A | 1952 | W | 140 | N | Spring | - | - | None | A | | A | | 13 |
| | 630 | - | - | 140 | - | - | 0.140 | 0.038 | - | 0.020 | | - | | |
| VASHON ISLAND | 400 | A | W | 122 | A | Cedarhurst Stream | A | A | Dh | A | | N | | 14 |
| (Cedarhurst Canyon) | 400 | A | - | 122 | - | - | - | A | - | 0.020 | | - | | |
| VASHON ISLAND | 600 | 1910 | P | 163 | N | Springs | - | - | None | A | | N | | 15 |
| | 650 | - | - | 170 | - | - | A | 0.100 | - | 0.050 | | - | | |
| VERA | 750 | A | A | - | - | Spokane County | - | - | None | - | | - | | 16 |
| | ( A ) | - | - | - | - | Vera I.D. # 15 | - | - | - | - | | - | | |
| WAITSBURG | 1,715 | 1913 | W | 423 | N | 3 springs | - | - | None | A | | L | | 17 |
| | 1,025 | - | - | 368 | - | - | 0.750 | A | - | 1.000 | | - | | |
| WALLA WALLA | 24,130 | 1951 | W | 8,737 | N | Mill Creek and | 11.500 | 26.00 | De | 182.0 | | N | | 18 |
| | 27,000 | A | - | 8,587 | - | 4 wells | 26.000 | 10.00 | - | 15.00 | | - | | |
| WAPATO | 3,115 | 1918 | W | 1,171 | A | 3 wells | - | A | Dh | 0.000 | | N | | 19 |
| | 4,120 | A | - | 1,150 | - | - | A | A | - | 0.075 | | - | | |
| WARDEN | 322 | 1957 | W | 300 | N | 4 wells | - | - | None | A | | NF | | 20 |
| | 1,000 | - | - | 270 | - | - | 3.500 | A | - | 0.800 | | - | | |
| WASHOUGAL | 1,877 | 1912 | P | 1,450 | N | 6 wells | - | - | None | A | | L | | 21 |
| | 1,450 | - | - | 30 | - | - | A | 0.435 | - | 0.050 | | - | | |
| WASHTUCNA | 316 | 1932 | W | 120 | N | Springs and well | - | - | None | A | | N | | 22 |
| | 302 | - | - | 120 | - | - | 0.384 | A | - | 0.110 | | - | | |
| WATAUGA BEACH | A | 1954 | W | 48 | N | Well | - | - | None | 0.000 | | N | | 23 |
| | 100 | - | - | 48 | - | - | 0.144 | 0.008 | - | 0.025 | | - | | |
| WATERVILLE | 1,113 | 1954 | W | 415 | N | 3 wells and 9 springs | - | - | None | 0.300 | | L | | 24 |
| | 1,000 | - | - | 372 | - | - | A | A | - | 0.600 | | - | | |
| WENATCHEE | 17,772 | A | W | 5,055 | C | Columbia River | Unl. | 14.00 | P-CaScFraDe | A | | G | | 25 |
| Source # 1 | 16,379 | 1949 | - | 5,055 | - | - | - | 4.660 | - | 5.000 | | - | | |
| WENATCHEE | - | 1918 | P | 80 | N | Springs | - | - | None | A | | UL | | 26 |
| Source # 2 | 280 | - | - | 80 | - | - | 0.016 | 0.012 | - | 0.100 | | - | | |
| WENATCHEE VALLEY | A | 1951 | W | 970 | N | 4 wells | - | 2.000 | De | A | | N | | 27 |
| | 3,395 | 1951 | P | 970 | - | - | 2.000 | 0.400 | - | 1.160 | | - | | |
| WEST CLARKSTON-HIGHLAND | 1,700 | 1937 | P | 1,800 | N | Ground | - | A | MgDe | A | | N | | 28 |
| | 5,000 | A | - | 1,800 | - | - | A | A | - | 18.00 | | - | | |
| WEST LAKE | A | A | P | A | A | Ground | - | - | None | A | | N | | 29 |
| | 400 | - | - | A | - | - | A | A | - | A | | - | | |
| WILSPORT | 771 | 1949 | W | 453 | N | 12 wells | - | 0.075 | Dh | A | | A | | 30 |
| | 1,200 | 1949 | - | 453 | - | - | A | A | - | 1.500 | | - | | |

PHS-2226
REV. 4-59

## INVENTORY OF MUNICIPAL WATER FACILITIES

STATE: WASHINGTON | DATE: Jan. 1, 1958 | PAGE: 17 of 17

| COMMUNITY | 1950 Population: Estimated Population Served | Year Oper. Started: Present Supply | Year Oper. Started: Present Treatment Plant | OWNERSHIP | Number of Services: Number of Meters | LAB. CONTROL | SOURCE OF SUPPLY | Safe Yield Impounded: Maximum Dependable Drain (Ge water) MGD | Rated Plant Capacity: Average Plant Output MGD | TREATMENT | Dist Storage: Pumps to Mains | Dist Storage: Gravity to Mains MG | IMPROVEMENTS NEEDED | LINE NO. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | | 12 | | |
| WEST RICHLAND | A | 1957 | W | 80 | N | Well | - | - | None | A | | N | | 1 |
| | 1,550 | - | P | 80 | - | - | 1.000 | A | - | 0.250 | | - | | |
| WESTSIDE WATER CO.- VASHON ISLAND | A | 1928 | P | 120 | A | Spring | - | - | None | A | | A | | 2 |
| | 600 | - | - | 120 | - | - | A | A | - | 0.013 | | - | | |
| WHITE SALMON | 1,353 | 1909 | W | 400 | N | 2 springs | - | 1.250 | Dh | 0.000 | | N | | 3 |
| | 1,470 | 1957 | - | 375 | - | - | 1.250 | 0.500 | - | 0.575 | | - | | |
| WILBUR | 1,043 | 1957 | W | 394 | N | 2 wells | - | - | None | A | | U | | 4 |
| | 1,065 | - | - | 329 | - | - | 2.900 | A | - | 0.500 | | - | | |
| WILKESON | 336 | 1905 | W | 150 | N | Gale Creek and | 0.200 | A | Dh | A | | Strg | | 5 |
| | 367 | 1945 | - | 0 | - | springs | A | 0.040 | - | 0.175 | | - | | |
| WILLAPA-SYLVANDALE-WILLAPA VALLEY | 500 | 1937 | W | 380 | N | Stringer Creek | A | A | Dh | 0.000 | | SU | | 6 |
| | 1,800 | 1953 | - | 1 | - | - | - | 0.180 | - | 0.000 | | - | | |
| WILSON CREEK | 337 | 1957 | W | 102 | N | 2 wells | - | 0.468 | Dh | A | | D | | 7 |
| | 331 | A | - | 102 | - | - | A | 1.045 | - | 0.125 | | - | | |
| WINLOCK | 878 | 1913 | P | 320 | N | 2 wells | - | - | None | A | | PL | | 8 |
| | 800 | - | - | 224 | - | - | A | 0.120 | - | 0.230 | | - | | |
| WINSLOW | 637 | 1953 | W | 250 | B | 3 wells | - | - | None | A | | A | | 9 |
| | 800 | - | - | 250 | - | - | 0.200 | 0.100 | - | 0.150 | | - | | |
| WINTHROP | 336 | 1952 | W | 86 | N | Well | - | - | None | 0.000 | | N | | 10 |
| | 400 | - | - | 0 | - | - | 0.027 | A | - | 0.030 | | - | | |
| WISHRAM | 600 | 1941 | P | 264 | N | 2 wells and springs | - | - | None | A | | U | | 11 |
| | 500 | - | - | 186 | - | - | 2.750 | 0.040 | - | 0.100 | | - | | |
| WOODLAND | 1,000 | 1939 | W | 523 | N | Lewis River | 1.200 | 1.200 | DeVt | 0.000 | | Ult | | 12 |
| | 1,200 | A | - | 500 | - | - | - | 0.120 | - | 0.220 | | - | | |
| YACOLT | 411 | 1911 | W | 180 | N | Big Creek | 5.000 | 3.000 | DhKh | A | | Sand | | 13 |
| | 500 | A | - | 0 | - | - | - | 3.000 | - | 0.500 | | - | | |
| YAKIMA | 37,496 | 1906 | W | 14,113 | B | Naches River | 10.000 | 11.50 | De | 0.000 | | MT | | 14 |
| | 43,800 | 1926 | - | 14,148 | - | and 2 wells | A | 8.200 | - | 2.500 | | - | | |
| YARDLEY | 300 | A | A | - | - | Spokane County | - | - | None | - | | - | | 15 |
| | ( A ) | - | - | - | - | Yardley W.D. # 3 | - | - | - | - | | - | | |
| YELM | 470 | A | W | 236 | N | Well | - | - | None | A | | N | | 16 |
| | 600 | 1951 | - | 230 | - | - | 0.500 | 0.100 | - | 0.050 | | - | | |
| ZENITH | 600 | A | A | - | - | Redondo | - | - | None | - | | - | | 17 |
| | ( A ) | - | - | - | - | - | - | - | - | - | | - | | |
| ZILLAH | 911 | 1935 | W | 385 | N | 2 wells | - | - | None | A | | Drai | | 18 |
| | 1,175 | - | - | 370 | - | - | 0.864 | A | - | 0.075 | | - | | |
| | | | | | | | | | | | | | | 19 |
| | | | | | | | | | | | | | | 20 |
| | | | | | | | | | | | | | | 21 |
| | | | | | | | | | | | | | | 22 |
| | | | | | | | | | | | | | | 23 |
| | | | | | | | | | | | | | | 24 |
| | | | | | | | | | | | | | | 25 |
| | | | | | | | | | | | | | | 26 |
| | | | | | | | | | | | | | | 27 |
| | | | | | | | | | | | | | | 28 |
| | | | | | | | | | | | | | | 29 |
| | | | | | | | | | | | | | | 30 |

1955-2720
REV 4-57

## PLACES WITH NO COMMUNITY WATER SUPPLY

WASHINGTON

| LOCATION | 1950 CEN POP |
|---|---|
| AFNFAS WASH | 100 |
| ALLYN WASH | 300 |
| AMANDA PARK WASH | 225 |
| AMBOY WASH | 960 |
| ARIEL WASH | 100 |
| BARING WASH | 160 |
| BAY CENTER WASH | 250 |
| BELFAIR WASH | 300 |
| BICKLETON WASH | 100 |
| BLANCHARD WASH | 200 |
| BOW WASH | 100 |
| BRINNON WASH | 100 |
| BROOKLYN WASH | 100 |
| BUENA WASH | 600 |
| BURBANK WASH | 175 |
| BURLEY WASH | 198 |
| CARLSBORG WASH | 200 |
| CARLTON WASH | 200 |
| CENTERVILLE WASH | 125 |
| CHATTAROY WASH | 200 |
| CHIMACUM WASH | 200 |
| CINEBAR WASH | 150 |
| CLEARWATER WASH | 100 |
| CONCONULLY WASH | 110 |
| COOK WASH | 150 |
| COPALIS CROSSING WASH | 150 |
| COWICHE WASH | 150 |
| CREWPORT WASH | 700 |
| CUMBERLAND WASH | 250 |
| CURLEW WASH | 100 |
| DANVILLE WASH | 100 |
| DASH POINT WASH | 297 |
| DEEP HARBOR WASH | 150 |
| DIABLO CAMP, WASH. | 300 |
| DIXIE WASH | 250 |
| DOTY WASH | 300 |
| EAST OLYMPIA WASH | 300 |
| EASTSOUND WASH | 150 |
| EDISON WASH | 300 |
| EDWALL WASH | 165 |
| EGLON WASH | 150 |
| ELBERTON WASH | 113 |
| ETHEL WASH | 350 |
| EVANS WASH | 125 |
| EWAN WASH | 104 |
| FOX ISLAND WASH | 108 |
| FRANCES WASH | 200 |
| FREELAND WASH | 250 |
| FREEMAN WASH | 100 |
| GALVIN WASH | 150 |
| GARDINER WASH | 175 |
| GATE WASH | 102 |
| GLENWOOD WASH | 400 |
| GORST WASH | 900 |
| GRAHAM WASH | 129 |
| GRAPEVIEW WASH | 153 |
| GRAYS RIVER WASH | 200 |
| GROTTO WASH | 102 |
| HADLOCK WASH | 900 |
| HANSVILLE WASH | 125 |
| HARPER WASH | 477 |
| HARRAH WASH | 906 |
| HAY WASH | 195 |
| HOBART WASH | 150 |
| HOME VALLEY WASH | 115 |
| HUMPTULIPS WASH | 100 |
| HUNTERS WASH | 900 |
| HUNTSVILLE WASH | 100 |
| KELLER WASH | 125 |
| KIONA WASH | 300 |
| KITSAP WASH | 325 |
| KOSMOS WASH | 820 |
| LAKEBAY WASH | 300 |
| LAKE BURIEN HEIGHTS, WASH. | 400 |
| LAKEVIEW WASH | 800 |
| LANCASTER WASH | 184 |
| LEBAM WASH | 400 |
| LESTER WASH | 250 |
| LILLIWAUP WASH | 130 |
| LINCOLN WASH | 150 |
| LITTLEROCK WASH | 200 |
| LONGBRANCH WASH | 750 |
| LONGMIRE WASH | 102 |
| LOON LAKE WASH | 250 |

WASHINGTON —CONT—

| LOCATION | 1950 CEN POP |
|---|---|
| LOPEZ WASH | 150 |
| LUMMI ISLAND WASH | 321 |
| MALO WASH | 100 |
| MALOTT WASH | 250 |
| MARBLEMOUNT WASH | 300 |
| MARSHALL WASH | 110 |
| MARYHILL WASH | 100 |
| MAY VIEW WASH | 150 |
| MEAD WASH | 800 |
| MENLO WASH | 400 |
| METHOW WASH | 120 |
| MICA WASH | 175 |
| MILAN WASH | 100 |
| MINERAL WASH | 600 |
| MONITOR WASH | 350 |
| NAHCOTTA WASH | 123 |
| NEILTON WASH | 100 |
| NISQUALLY WASH | 250 |
| NORDLAND WASH | 200 |
| NORTH MC NARY, WASH. | 100 |
| OCEAN CITY WASH | 225 |
| OCEAN PARK WASH | 650 |
| OLALLA WASH | 850 |
| ORCAS WASH | 100 |
| ORIENT WASH | 150 |
| ORILLIA WASH | 200 |
| ORONDO WASH | 250 |
| OTIS ORCHARDS WASH | 900 |
| OUTLOOK WASH | 300 |
| OYSTERVILLE WASH | 140 |
| PALISADES WASH | 150 |
| PALMER WASH | 200 |
| PARKER WASH | 250 |
| PLYMOUTH WASH | 350 |
| PORTAGE WASH | 200 |
| PORT BLAKELY WASH | 100 |
| PORTER WASH | 200 |
| POTLATCH WASH | 108 |
| QUILCENE WASH | 280 |
| RIFFE WASH | 450 |
| ROCHESTER WASH | 350 |
| ROCKPORT WASH | 185 |
| ROSBURG WASH | 300 |
| ROY WASH | 261 |
| SAPPHO WASH | 150 |
| SATSOP WASH | 125 |
| SEABECK WASH | 300 |
| SEATTLE HEIGHTS WASH | 150 |
| SELLECK WASH | 300 |
| SILVER CREEK WASH | 216 |
| SILVERLAKE WASH | 900 |
| SKAMANIA WASH | 150 |
| SOUTHWORTH WASH | 200 |
| STARBUCK WASH | 203 |
| STEPTOE WASH | 100 |
| THORNTON WASH | 250 |
| THORP WASH | 350 |
| TIGER WASH | 100 |
| TOKELAND WASH | 200 |
| TOUCHET WASH | 600 |
| TRINIDAD WASH | 150 |
| UNDERWOOD WASH | 297 |
| UNION WASH | 550 |
| VALLEYFORD WASH | 100 |
| VAUGHN WASH | 300 |
| WALLULA WASH | 150 |
| WAUCONDA WASH | 125 |
| WAVERLY WASH | 115 |
| WELLPINIT WASH | 100 |
| WHITE SWAN WASH | 200 |
| WOODINVILLE WASH | 650 |

U. S. GOVERNMENT PRINTING OFFICE: 1961 O—617936